

2nd Edition
2024

MAN GENUINE ACCESSORIES





CONTENTS



From the MAN Genuine roof top air conditioner for comfort to the MAN Genuine decorative “Fire Lion” film as a visual element – you can find further information on selected MAN Genuine Accessories in this catalogue.



Comfort

8

Feel better, enjoy more relaxed driving.

| | |
|--|----|
| Seat covers | 10 |
| Floor mats | 14 |
| Roof Top Air Conditioners | 18 |
| Cool and stowage boxes | 23 |
| Hammock | 31 |
| Slatted support with bunk cover for upper bunk | 31 |
| Mattresses | 32 |
| Fitted sheets | 34 |
| Curtains | 36 |
| Reading lights | 39 |
| Cup holder | 41 |
| Coffee makers | 42 |
| Microwave | 46 |
| Ashtray | 47 |
| Dash Storage Board | 48 |
| Window cleaning set | 51 |
| Druckluftpistolen | 52 |
| Compressed-air connection in cab | 53 |
| Waste container | 53 |
| Care utensils | 54 |
| Loop for exterior storage compartment | 54 |
| Wind deflector | 56 |
| Door side extension | 59 |
| Extension for side panels | 60 |
| Inside mudguard mud flap | 61 |



Safety

62

Driving safely.

| | |
|-----------------------------------|----|
| Tyre chains | 64 |
| Alcohol Interlock, not bypassable | 65 |
| Revolving beacon | 66 |
| Spotlights | 67 |
| Additional reversing lights | 69 |
| DTCO thermal paper | 70 |
| Tachograph disc | 70 |
| Warning and auxiliary equipment | 71 |
| Jump leads with Startsafe | 73 |
| Wheel chocks | 73 |
| Hydraulic jack | 74 |
| Tyre inflation hose | 74 |
| Tool storage | 75 |
| Universal safety plug | 76 |
| Bulb box | 76 |

CONTENTS



| | | | |
|---|---|-----------------------------------|-----------|
|  | Fuel tank guard | 77 | |
| | Filler cap, lockable | 79 | |
| | AdBlue® filler cap, lockable | 79 | |
| | Trailer connection | 80 | |
| | Protective guards for lights | 81 | |
| | Protective guard for rear wall window | 84 | |
| | Mud flaps | 85 | |
| | Grab handles TGE | 87 | |
| | Underride protection TGE | 87 | |
| | Adhesive labels and signs | 88 | |
| | Reflective film | 89 | |
| | Protective screens | 89 | |
| |  | Infotainment | 90 |
| | Better informed, arrive safely. | | |
| | Tablet holder | 92 | |
| | CB radio sets | 93 | |
| | MAN Radio | 96 | |
| | Television, 24" with assembly kit | 105 | |
| | Bluetooth mobile communications adapter | 106 | |
| | ISO DIN shaft | 106 | |
| | Bonding-antennas | 107 | |
|  | Style | 108 | |
| | | Even more individual and genuine. | |
| | | Styling Truck | 110 |
| | | Styling TGE | 119 |
| | | Wheel accessories Truck | 123 |
| | | Wheel accessories TGE | 128 |
| | | Valve extension | 130 |
| | | Design sun visors | 131 |
| | | LED rear lights | 132 |
| | | Side turn indicator light | 133 |
| | | LED clearance lamp | 133 |
| | | Compressed-air horn | 134 |
| | | Decorative films | 135 |
| | | Radiator grille with logo | 137 |
| | | The letters M A N | 137 |
| | MAN label and shields | 138 | |
| | Steering wheel with logo | 139 | |

CONTENTS



| | |
|---|------------|
| Driver assistance systems | 140 |
| Intelligent support on the road. | |
| Rear-view/camera system | 142 |
| Side camera system (SCS) | 146 |
| 360° BirdView camera system | 147 |
| Video turn aid (VTA) | 148 |
| Acoustic warning device upgrade kit GB | 150 |
| Retrofit RIO Box/MAN Genuine telematics on-board module 3 | 151 |



| | |
|---|------------|
| Transport | 152 |
| Transport goods safely and conveniently. | |
| Trailer equipment TGE | 154 |
| Load security | 160 |
| Roof support | 163 |
| Runner as a roof loading aid | 163 |
| Ladder holder | 164 |
| Set of angle brackets | 164 |
| Painted ladder carrier at front and rear attachment | 164 |
| Storage bag | 165 |
| Stowage box on platform loading surface | 166 |

DISCLAIMER

Contents

The content and images on the MAN Genuine Accessories websites are provided for information purposes only. MAN accepts no liability for the information provided being up to date, correct and complete. MAN reserves the right to make engineering design and/or commercial changes at any time within the framework of continuous product maintenance and further development without prior notice. Illustrations may also include special equipment that is not part of the standard scope of delivery.

Availability per country

The availability per country can be found in the country availability matrix in the MAN Service Portal.

Application

MAN Genuine Accessories may not be used for purposes other than those specified without written approval. Fitting and application must comply with the regulations of the respective country of use. National rules and regulations must be observed. Due to national or EU laws and regulations, some functions or accessories are not available in all countries. Before use, it is the buyer's responsibility to check whether the accessories are approved and may be used in the respective country in which the vehicle is operated.

Liability for defects

MAN Truck & Bus SE grants a 24-month liability on MAN Genuine Accessories for material defects in accordance with the MTB Terms and Conditions of Sale and Delivery. Accordingly, liability for defects is excluded in particular in the case of:

- Damage caused by improper transport or fitting by customers or third parties.
- Fault(s) due to incorrect operation or damage by the customer.
- Wear due to excessive use
- Modifications to the accessory

Links to the websites of other providers

Our website may contain links to the websites of other providers. MAN checked any webpages directly linked to its own site at the time the links were created and was satisfied that they were free of legal violations. However, MAN has no influence of any kind on the content of linked webpages and is not able to monitor these on an ongoing basis. Therefore MAN assumes no liability for the content of linked webpages that have been modified after the links were created. This data privacy statement does not apply to the linked webpages of other providers.

Brands

Android is a trademark or registered trademark of Google Inc.
Bluetooth™ is a trademark or registered trademark of Bluetooth SIG Inc.



MAN Genuine Accessories offer you parts that you can install in your truck or van to give it your personal touch.

MAN Genuine Accessories not only enable personalisation of the workplace, they also enable a company to increase efficiency. The parts ensure a comfortable and safe working environment tailored to your individual needs. With MAN Genuine Accessories, you can optimise your operating costs.

The different variants of the MAN Genuine Accessories are custom-built for the respective vehicle type. The parts are labelled with the designations TGS, TGX, TGM, TGL or TGE if required. This allows you to identify immediately whether the part is available for your requirements.

MAN GENUINE ACCESSORIES



Benefits at a glance



Save time and money

Quick and easy to fit because they have been specially developed for your MAN to the highest quality standard.



Lower operating costs

Optimise and simplify correct operation of your MAN.



Save a lot of trouble

Enhance the safety of your MAN on the road with selected accessories.



Improve the appearance and reputation of your company

Stylish products for your MAN that your customers will also like.



More enjoyment behind the wheel

Comfort that will increase driver satisfaction and performance.



Conveniently accessible

As with all MAN Genuine Parts, available for order from your MAN dealer.



**ALSO ON
MAN GENUINE
ACCESSORIES**



COMFORT





Feel better, enjoy more relaxed driving.

You spend a lot of time at your work place – often including even part of your free time. Providing the greatest possible comfort is therefore a must. MAN Genuine Accessories offer some useful and practical extras that make driving and breaks more enjoyable. We want to make you as comfortable as possible. Your comfort is our quality standard.



COMFORT

Seat covers



MAN Genuine seat covers offer the greatest possible comfort thanks to the best fit and first-class “Made in Germany” workmanship. High-quality materials guarantee not only easy cleaning and care but also wear resistance and the best possible protection of MAN Genuine seats. It goes without saying that simple and easy fitting was taken into account when developing the covers. The quality is reflected in their pleasing appearance. Choose from three exclusive designs ① PREMIUM, ② SPORTIVE and ③ ROBUST.

1

PREMIUM seat cover

This MAN Genuine seat cover in genuine leather brings luxury and prestige to the cab. As well as having a classic and luxurious design, the premium seat cover is also suitable for climate-controlled seat functions, thanks to the micro-perforation in the seat and backrest area. The leather is of the highest quality and particularly easy to clean, hard-wearing and durable.



| Item number | Designation | Suitable for |
|---------------|------------------------------------|--|
| | | TGL, TGM, TGS and TGX from MY 2020 with seat ... |
| K3.62360-6008 | Cover, left/right, Premium leather | “Static” with external belt guide |
| K3.62360-6009 | Cover, left, Premium leather | “Comfort/LUXURY+” without belt height adjustment |
| K3.62360-6010 | Cover, right, Premium leather | “Comfort/LUXURY+” without belt height adjustment |
| K3.62360-6001 | Cover, left, Premium leather | “Comfort/LUXURY+” with belt height adjustment |
| K3.62360-6000 | Cover, right, Premium leather | “Comfort/LUXURY+” with belt height adjustment |
| K3.62360-6033 | Cover, Premium leather | Centre seat with lap belt and folding function |
| K3.62360-6036 | Cover, left/right, Premium leather | Vario seat with swivelling and folding function |
| | | TGL, TGM, TGS and TGX up to MY 2019 with seat ... |
| K3.62360-6019 | Cover, left, Premium leather | “Isringhausen” |
| K3.62360-6020 | Cover, right, Premium leather | “Isringhausen” |
| K3.62360-6031 | Cover, left, Premium leather | “Grammer” with integrated belt guide |
| K3.62360-6032 | Cover, right, Premium leather | “Grammer” with integrated belt guide |
| K3.62360-6029 | Cover, left/right, Premium leather | “Grammer” without belt guide |
| K3.62360-6030 | Cover, Premium leather | “Grammer” centre seat |

COMFORT

Seat covers



2

SPORTIVE seat cover

The MAN Genuine seat cover has an explicitly sporty look thanks to its particularly dynamic design and contrasting colour inserts. The variant impresses not only with its attractive design, but also in particular through use of the highest quality textiles, which are very easy to clean and are even washable.



| Item number | Designation | Suitable for |
|---------------|--------------------------------------|--|
| | | TGL, TGM, TGS and TGX from MY 2020 with seat ... |
| K3.62360-6004 | Cover, left/right, Sportive, textile | “Static” with external belt guide |
| K3.62360-6011 | Cover, left, Sportive, textile | “Comfort/LUXURY+” without belt height adjustment |
| K3.62360-6012 | Cover, right, Sportive, textile | “Comfort/LUXURY+” without belt height adjustment |
| K3.62360-6003 | Cover, left, Sportive, textile | “Comfort/LUXURY+” with belt height adjustment |
| K3.62360-6002 | Cover, right, Sportive, textile | “Comfort/LUXURY+” with belt height adjustment |
| K3.62360-6034 | Cover, Sportive, textile | Centre seat with lap belt and folding function |
| K3.62360-6037 | Cover, left/right, Sportive, textile | Vario seat with swivelling and folding function |
| | | TGL, TGM, TGS and TGX up to MY 2019 with seat ... |
| K3.62360-6015 | Cover, left, Sportive, textile | Isringhausen |
| K3.62360-6016 | Cover, right, Sportive, textile | Isringhausen |
| K3.62360-6023 | Cover, left, Sportive, textile | Grammer with integrated belt guide |
| K3.62360-6024 | Cover, right, Sportive, textile | Grammer with integrated belt guide |
| K3.62360-6021 | Cover, left/right, Sportive, textile | Grammer without belt guide |
| K3.62360-6022 | Cover, Sportive, textile | Grammer centre seat |

COMFORT

Seat covers



3

ROBUST seat cover

The MAN Genuine seat cover in the Robust variant guarantees a long service life, withstanding continual use in trucks for years thanks to its high level of durability. The design is attractively plain and deliberately universal. The materials used are easy to clean and washable.



| Item number | Designation | Suitable for |
|---------------|------------------------------------|--|
| K3.62360-6007 | Cover, left/right, Robust, textile | TGL, TGM, TGS and TGX from MY 2020 with seat ... "Static" with external belt guide |
| K3.62360-6013 | Cover, left, Robust, textile | "Comfort/LUXURY+" without belt height adjustment |
| K3.62360-6014 | Cover, right, Robust, textile | "Comfort/LUXURY+" without belt height adjustment |
| K3.62360-6005 | Cover, left, Robust, textile | "Comfort/LUXURY+" with belt height adjustment |
| K3.62360-6006 | Cover, right, Robust, textile | "Comfort/LUXURY+" with belt height adjustment |
| K3.62360-6035 | Cover, Robust, textile | Centre seat with lap belt and folding function |
| K3.62360-6038 | Cover, left/right, Robust, textile | Vario seat with swivelling and folding function |
| K3.62360-6053 | Cover, Robust, textile | Double cab, rear, 4-seater bench TGL, TGM, TGS and TGX up to MY 2019 with seat ... |
| K3.62360-6017 | Cover, left, Robust, textile | Isringhausen |
| K3.62360-6018 | Cover, right, Robust, textile | Isringhausen |
| K3.62360-6027 | Cover, left, Robust, textile | Grammer with integrated belt guide |
| K3.62360-6028 | Cover, right, Robust, textile | Grammer with integrated belt guide |
| K3.62360-6025 | Cover, left/right, Robust, textile | Grammer without belt guide |
| K3.62360-6026 | Cover, Robust, textile | Grammer centre seat |

COMFORT

TGE seat cover



The MAN Genuine seat cover for the TGE guarantees a long service life and is able to withstand continuous use for years thanks to its high level of durability. The design is attractively plain and deliberately universal. The materials used are easy to clean and washable.

Custom-fit covers for all available TGE seat variants. The covers can be fitted without time-consuming disassembly, even on complex seats and where access is difficult.

With side airbag seam and general operating permit (ABE) for the highest possible safety.



Properties

Material: Robust (textile)

! Note

Seat covers with corresponding side airbag seams must be used for seats with integrated side airbags.

| Item number | Designation | Suitable for |
|---------------|--|--|
| K3.62360-6049 | Cover for single seat with side airbag, LHD | TGE with standard seat, comfort seat, comfort seat plus, swing seat ergoComfort, swing seat ergoActive, swivel seat Not suitable for: Courier service seat (PR No. 3TT) |
| K3.62360-6048 | Cover for single seat with side airbag, RHD | |
| K3.62360-6043 | Cover for single seat without side airbag, right and left | |
| K3.62360-6044 | Cover for front passenger double bench, split, with side airbag, right, LHD | |
| K3.62360-6045 | Cover for front passenger double bench, split, with side airbag, left, RHD | |
| K3.62360-6046 | Cover for front passenger double bench, split, without side airbag, right, LHD | |
| K3.62360-6047 | Cover for front passenger double bench, split, without side airbag, left, RHD | |
| K3.62360-6042 | Cover for front passenger double bench without function, without side airbag, right and left | |
| K3.62360-6041 | Cover for 4-seater bench seat, crew cab, platform body, 2nd row | |
| K3.62360-6039 | Cover for 3-seater bench seat, panel van Plus, 2nd row | |
| K3.62360-6040 | Cover for 4-seater bench seat, panel van Plus, 2nd row | TGE |

COMFORT



Floor mats

Floor mats in MAN design with exact fit and made from high-quality materials protect the footwell from dirt and damage and are easily cleaned.

1

Premium floor mat set (velour)

The MAN Genuine velour carpet floor mats are made to fit and are matched to the interior fittings of your truck. The high-quality material with the embroidered MAN Lion creates a particularly elegant accent.

Note

Set includes driver and co-driver sides



| Item number | Designation | Suitable for |
|---------------|---|--------------------------------|
| K3.62860-6005 | Set, Premium Velour, Lion, left-hand-drive vehicle | TGX from MY 2020 |
| K3.62860-6007 | Set, Premium Velour, Lion, right-hand-drive vehicle | TGX from MY 2020 |
| K3.62860-6001 | Set, Premium Velour, Lion, left-hand-drive vehicle | TGL, TGM and TGS from MY 2020 |
| K3.62860-6003 | Set, Premium Velour, Lion, right-hand-drive vehicle | TGL, TGM and TGS from MY 2020 |
| K3.62860-6009 | Set, Premium Velour, Lion, left-hand-drive vehicle | TGX up to MY 2019 |
| K3.62860-6011 | Set, Premium Velour, Lion, right-hand-drive vehicle | TGX up to MY 2019 |
| K3.62860-6013 | Set, Premium Velour, Lion, left-hand-drive vehicle | TGL, TGM and TGS up to MY 2019 |
| K3.62860-6015 | Set, Premium Velour, Lion, right-hand-drive vehicle | TGL, TGM and TGS up to MY 2019 |

2

Robust floor mat set (needle felt)

The particularly hard-wearing MAN Genuine needle felt carpet floor mats are made to fit and are matched to the interior fittings of your truck. The high-quality material with the embroidered MAN logo creates a particularly elegant accent.

Note

Set includes driver and co-driver sides



| Item number | Designation | Suitable for |
|---------------|--|--------------------------------|
| K3.62860-6004 | Set, Robust needle felt, MAN, left-hand-drive vehicle | TGX from MY 2020 |
| K3.62860-6006 | Set, Robust needle felt, MAN, right-hand-drive vehicle | TGX from MY 2020 |
| K3.62860-6000 | Set, Robust needle felt, MAN, left-hand-drive vehicle | TGL, TGM and TGS from MY 2020 |
| K3.62860-6002 | Set, Robust needle felt, MAN, right-hand-drive vehicle | TGL, TGM and TGS from MY 2020 |
| K3.62860-6008 | Set, Robust needle felt, MAN, left-hand-drive vehicle | TGX up to MY 2019 |
| K3.62860-6010 | Set, Robust needle felt, MAN, right-hand-drive vehicle | TGX up to MY 2019 |
| K3.62860-6012 | Set, Robust needle felt, MAN, left-hand-drive vehicle | TGL, TGM and TGS up to MY 2019 |
| K3.62860-6014 | Set, Robust needle felt, MAN, right-hand-drive vehicle | TGL, TGM and TGS up to MY 2019 |

COMFORT

Floor mats



3

All-season floor mat from MY 2020

The floor mats branded with the MAN Lion made of sturdy rubber protect the footwell from dirt and damage and are easily cleaned. Their design is perfectly matched to the interior of the vehicle generation from model year 2020.

The mats are available individually for the driver and co-driver sides.



| Item number | Designation | Suitable for |
|---------------|--|----------------------------|
| K3.62860-0039 | All-season floor mat, driver side, LHD | TGX, from MY 2020 |
| K3.62860-0038 | All-season floor mat, co-driver side, LHD | |
| K3.62860-0040 | All-season floor mat, driver side, RHD | |
| K3.62860-0041 | All-season floor mat, co-driver side, RHD | |
| K3.62860-0043 | All-weather floor mat, driver side, LHD | TGS, TGM, TGL from MY 2020 |
| K3.62860-0042 | All-weather floor mat, co-driver side, LHD | |
| K3.62860-0044 | All-weather floor mat, driver side, RHD | |
| K3.62860-0045 | All-weather floor mat, co-driver side, RHD | |

All-season floor mat up to MY 2019

The high-quality floor mats made of rubber protect the interior against damage and soiling. Not only are they tailored to the size of the cab, they are also highly durable and easy as well as quick to clean.



4

| Item number | Designation | Suitable for |
|---------------|--|-------------------------------------|
| 81.62861-0139 | Mat, front left, R41/L40 | TGX up to MY 2019 and TGA |
| 81.62861-0138 | Mat, front right, R41/L40 | TGX up to MY 2019 and TGA |
| 81.62861-0141 | Mat, front left, L10/15/32/37 L17/34/39 | TGL, TGM, TGS up to MY 2019 and TGA |
| 81.62861-0140 | Mat, front right, L10/15/32/37 L17/34/39 | TGL, TGM, TGS up to MY 2019 and TGA |
| 81.62860-0934 | Mat, centre, L10/15/32/37 | TGL, TGM, TGS up to MY 2019 and TGA |

COMFORT



All-season floor mat TGE

MAN Genuine all-season mats protect your vehicle from moisture and dirt. They are made to fit perfectly, are non-slip and can be cleaned easily. Furthermore, the floor mats are 100% recyclable, very robust and durable. The material makes the all-weather mats significantly lighter than conventional floor mats. One set consists of three mats to protect the front footwell and centre tunnel.



| Item number | Designation |
|---------------|--|
| 65.62860-6001 | All-season mats, front, left-hand drive vehicle |
| 65.62860-6002 | All-season mats, front, right-hand drive vehicle |
| 65.62860-6003 | All-season mats, rear, crew cab |

| Suitable for |
|--------------|
| TGE |

Velour floor mat TGE

These floor mats, made of high-quality, hard-wearing velour and branded with the MAN lion, create a great look in the cab. They impress with their perfect fit. The button fasteners included in the set ensure a secure hold. This means that they optimally protect the footwell of your TGE from dirt and are easy to clean.

The mats for the front footwell can be ordered as a set. A single mat for the rear seating area of crew cabs is also available.



| Item number | Designation |
|---------------|--------------------------------------|
| K3.62860-6020 | LHD Premium velour set (lion), front |
| K3.62860-6021 | RHD Premium velour set (lion), front |
| K3.62860-0036 | Premium velour crew cab, rear |

| Suitable for |
|--------------|
| TGE |

COMFORT

Fabric mat for engine hump



The custom-fitting fabric mat protects the engine hump and provides additional floor insulation. With colours that are matched to the interior and a soft material, they make the cab more comfortable and homely. The mat is also durable and easy to keep clean.



Properties

Colour variants: Grey, beige

Material: Velour

| Item number | Designation | Suitable for |
|---------------|--|----------------------|
| 81.62861-0180 | Fabric mat, engine hump for TipMatic, beige, 966 mm x 514 mm | GN, GM, GX cabs |
| 81.62861-0163 | Fabric mat, engine hump for TipMatic, grey, 966 mm x 514 mm | |
| 81.62861-0179 | Fabric mat engine hump for manual gearshift and/or parking brake next to driver's seat, beige, 676 mm x 514 mm | |
| 81.62861-0162 | Fabric mat engine hump for manual gearshift and/or parking brake next to driver's seat, grey, 676 mm x 514 mm | |
| 81.62861-0268 | Fabric mat, engine hump for TipMatic, beige, 733 mm x 538 mm | TGS with TN, TM cabs |
| 81.62861-0267 | Fabric mat, engine hump for TipMatic, grey, 733 mm x 538 mm | |
| 81.62861-0269 | Fabric mat engine hump for manual gearshift and/or parking brake next to driver's seat, beige, 496 x 538 mm | |
| 81.62861-0266 | Fabric mat engine hump for manual gearshift and/or parking brake next to driver's seat, grey, 496 x 538 mm | |

COMFORT

Roof Top Air Conditioners



With MAN Genuine roof top air conditioner, the truck driver can spend his rest periods recuperating in the cab without having to run the engine for hours consuming large quantities of fuel. Having a rested driver also contributes to increased safety. Thanks to their highly efficient technology, the systems cool quickly and reliably for up to twelve hours with low operating costs. The compact, battery-powered roof-mounted air-conditioning systems for trucks are easy to fit in the existing roof hatch.

Note

Equipping the vehicle with 210-Ah Super Longlife (AGM) batteries with the more powerful alternator Long-life Eco is recommended. The preset undervoltage protection of the system must not be changed. To avoid deep discharge, we recommend that you start the vehicle after prolonged use of the system before using another current consumer. If the roof top air conditioner changes the overall height of the vehicle, this must be noted in the vehicle documentation. National regulations take precedence over technically permissible dimensions and weights if they limit the technically permissible dimensions and weights.

Switch off the roof top air conditioner before tilting the cab for maintenance purposes.
Observe further safety instructions for roof top air conditioners and washing installations!
Fitting by an MAN service outlet is recommended. Ask your MAN service outlet for detailed information.

With four different versions, there is the right solution for every requirement:

- 1 Roof Top Air Conditioner Cooltronic G2.5
- 2 Roof Top Air Conditioner RTX 1000
- 3 Roof Top Air Conditioner RTX 2000
- 4 Roof Top and Rear Wall Air Conditioner SPX 1200



COMFORT

Roof Top Air Conditioners



Roof Top Air Conditioner Cooltronic G2.5

1

MAN Genuine roof top air conditioner systems enable relaxing breaks and rest periods in the cab under optimal conditions. They also increase the alertness of the driver, thus ensuring greater safety on the road. The Cooltronic G2.5 systems are self-contained air-conditioning systems with electric compressors and a closed circuit that automatically adjust their cooling output to the lowest possible power consumption.



Thanks to the special two-part design, the roof-mounted air-conditioning system for trucks can be fitted beneath the roof spoiler, making it particularly suitable for MAN TGX vehicles with GM or XLX cab (medium height) and roof spoiler. The MAN Genuine Roof Top Air Conditioner Cooltronic G2.5 can also be used with all other MAN TG vehicles with a long cab.

Properties

920 W cooling output

Digital temperature gauge (in °C and °F)

with remote control

Five fan levels

Dual battery protection

ADR compliant

MAN-specific assembly kit

Two-part design

| Item number | Designation | Suitable for |
|---------------|---|---|
| K3.61900-6005 | Roof Top Air Conditioner Cooltronic G2.5 without installation kit | For all TG models with a long cab |
| K3.61941-6001 | Assembly kit Cooltronic for TG3, beige | For all TG models with a long cab from MY 2020 |
| K3.61941-6000 | Assembly kit Cooltronic for TG2, grey | For all TG models with a long cab up to MY 2019 |

COMFORT

Roof Top Air Conditioners



2

Roof Top Air Conditioner RTX 1000

The roof top air conditioner is designed for relaxing rest periods in stationary operation. Thanks to its highly efficient technology, it cools quickly and reliably for up to twelve hours. The compact, battery-powered roof-mounted air-conditioning system for trucks is easy to fit in the existing roof hatch.



Properties

| | |
|---|---|
| 1,200 W cooling output | ADR compliant |
| Highly efficient: only 8 A power consumption in Eco mode | MAN-specific assembly kit |
| Autonomous, battery-powered roof-mounted parking air-conditioning system | Precise temperature control |
| All components integrated into a single roof unit | Boost cooling mode for fast cooling |
| Roof top air conditioner suitable for ambient temperatures from 5°C to 52°C | Up to twelve hours of operation with maximum cooling output |

| Item number | Designation | Suitable for |
|---------------|-----------------------------------|---|
| K3.61900-6002 | Roof top air conditioner RTX 1000 | All TG modells with roof hatch Not for: TGL, TGM, with C cab, TGL, TGM, TGS with TM (LX) cab with roof spoiler TGX with GM (XLX) cab with roof spoiler |
| U1.61941-6000 | Installation kit RTX TG2 beige | All TG modells up to MY 2020 with roof hatch Not for: TGL, TGM, with C cab, TGL, TGM, TGS mit LX cab with roof spoiler TGX with XLX cab with roof spoiler |
| K3.61940-6005 | Installation kit RTX TG3 beige | All TG modells up to MY 2020 Not for: TGL, TGM, with C cab, TGL, TGM, TGS cab with roof spoiler TGX with GM cab with roof spoiler |

COMFORT

Roof Top Air Conditioners



3

Roof Top Air Conditioner RTX 2000

The roof top air conditioner is designed for relaxing rest periods in stationary operation. Thanks to its highly efficient technology, it cools quickly and reliably for up to six hours and longer. The compact, battery-powered roof-mounted air-conditioning system for trucks is easy to fit in the existing roof hatch.



Properties

| | |
|---|--|
| 2,000 W cooling output | ADR compliant |
| Highly efficient: only 8 A power consumption in Eco mode | MAN-specific assembly kit |
| Autonomous, battery-powered roof-mounted parking air-conditioning system | Precise temperature control |
| | Boost cooling mode for fast cooling |
| All components integrated into a single roof unit | Up to six hours of operation with maximum cooling output |
| Roof top air conditioner suitable for ambient temperatures from 5°C to 52°C | Up to twelve hours of operation at Central European temperatures |

| Item number | Designation | Suitable for |
|---------------|-----------------------------------|--|
| K3.61900-6001 | Roof top air conditioner RTX 2000 | All TG models with roof hatch Not for: TGL, TGM, with C cab, TGL, TGM, TGS with TM (LX) cab with roof spoiler TGX with GM (XLX) cab with roof spoiler |
| U1.61941-6000 | Installation kit RTX TG2 beige | All TG models up to MY 2020 with roof hatch Not for: TGL, TGM, with C cab, TGL, TGM, TGS mit LX cab with roof spoiler TGX with XLX cab with roof spoiler |
| K3.61940-6005 | Installation kit RTX TG3 beige | All TG models up to MY 2020 Not for: TGL, TGM, with C cab, TGL, TGM, TGS cab with roof spoiler TGX with GM cab with roof spoiler |

COMFORT

Roof Top Air Conditioners



4

Roof Top and Rear Wall Air Conditioner SPX 1200

The roof top air conditioner is designed for relaxing rest periods in stationary operation. Thanks to its efficient technology, it cools quickly and reliably. The very flat roof unit saves space and hardly influences the overall height of the roof. It is therefore also suitable for TGX vehicles with GM or XLX cab and roof spoiler.

The evaporator unit SPX 1200T (in the roof hatch) and the condenser unit SPX 1200C (on the rear wall) are installed separately (split).



Properties

High cooling output: 1200 W

Low power consumption: 5 A in Eco mode

Max. current consumption: 25 A

Weight: SPX 1200T approx. 20 kg,
SPX 1200C approx. 13 kg

ADR compliant for all classes except EX/II, EX/III

Auxiliary air-conditioning system suitable for ambient temperatures from 5 °C to 52 °C

! Note

- In some cases, vehicles for swap bodies may not be suitable for installation of the rear wall unit SPX 1200C. Check the distance between the rear wall of the cab and the body.
- To prevent damage to the roof-mounted air-conditioning unit and the spoiler, it is essential to use the spacers included for the spoiler on GM cabs from MY 2020.
- Changes or modifications to the roof spoiler are not permitted and will invalidate the general operating permit (ABE).
Equipping the vehicle with 210-Ah Super Longlife (AGM) batteries with the more powerful alternator Longlife Eco is recommended.

| Item number | Designation | Suitable for |
|---------------|---|---|
| K3.61920-6006 | Condenser rear wall unit SPX1200C | All TG models with roof hatch Not for: TGL, TGM, with C cab |
| K3.61920-6007 | Evaporator roof unit SPX1200T | All TG models with roof hatch Not for: TGL, TGM, with C cab |
| K3.61940-6007 | Assembly kit for SPX1200T TG3, beige | All TG models up to MY 2020 with roof hatch Not for: TGL, TGM, with C cab |
| K3.61940-6006 | Rear-wall mounting frame SPX1200C, wide cab | TGX |
| K3.61940-6001 | Rear-wall mounting frame SPX1200C, narrow cab | TGL, TGM, TGS |



COMFORT

Cool and stowage boxes

“Volkswagen” portable cooling and heating box

An indispensable helper on long working days. Thanks to the cooling and warming function, it always ensures the right temperature. With a capacity of approx. 25 litres, it offers sufficient stowage space so that even 2-litre bottles can be transported upright without any problems. The power supply is either 12 V or 230 V. This allows, for example, pre-cooling at home as well as continuous cooling in the vehicle and on the construction site.



1

Properties

- Volume: Approx. 25 l
- Cooling and heating function
- Cooling to 18°C below ambient temperature
- Cooling technology: Thermoelectric
- Power supply: 12 V / 230 V
- Battery discharge protection
- Colour: Black
- Additional insulating cover
- With textile cover, shoulder strap and outside pockets
- Dimensions in mm (L x W x H): 410 x 300 x 455
- Weight (net): 5.2 kg
- Type of mounting: 3-point mount

| Item number | Designation | Suitable for |
|---------------|------------------|---------------------|
| 65.63910-6002 | Portable coolbox | TGE/12 V connection |

COMFORT



Cool and stowage boxes

2

Coolbox, 20 l

Two 1-litre bottles can be stored upright in the front section of the coolbox installed between the driver's seat and the co driver's seat. The lid can be folded back, creating a large opening angle of max. 100° for convenient access. The coolbox is equipped with integrated battery protection which switches off the coolbox automatically if the battery voltage drops too low. Two trays located on the top of the coolbox offer additional space for small and flat items.



The coolbox has two setting options:

- In hibernation mode (temperature is maintained) or normal operation (temperature is gradually reached), the compressor runs at a reduced speed.
- When the quick cooling function is active (refrigerator cools down rapidly to the desired temperature), the compressor runs at maximum speed until the set temperature has been reached, after which it automatically switches to normal operation. When starting for the first time, after a lengthy period of non operation or whenever a large amount of warm food is placed in the coolbox, the quick-cooling function prevents the temperature from rising too far.

Properties

Power requirement (min./max.): 30 W/60 W

Temperature range from: + 2°C to + 15°C (tolerance +/-2°C)

Refrigerant: R1234yf

Dimensions in mm (L x W x H): 430 x 235 x 295

Volume: 21 l

LED-display with temperature indicator

Quick-cooling function

| Item number | Designation | Suitable for |
|----------------|--|---|
| 81.63910-6481* | Storage box with coolbox, desert beige | TGS with NN cab, TGM, TGL with CC/DN cab from MY 2020 |
| 81.63910-6480* | Storage box with coolbox, moon grey | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).

COMFORT

Cool and stowage boxes

Coolbox, 30 l

Two 1-litre bottles can be stored upright in the front section of the coolbox installed centrally below the bunk. A mesh divider keeps the bottles securely in place while driving and protects the contents behind them. The refrigerator is equipped with integrated battery protection which switches off the refrigerator automatically if the battery voltage drops too low.

Two variants are available: One is installed in a fixed position (can only be accessed with the bunk folded up); the other can be extended for convenient access.

The coolbox has two setting options:

- In hibernation mode (temperature is maintained) or normal operation (temperature is gradually reached), the compressor runs at a reduced speed.
- When the quick cooling function is active (refrigerator cools down rapidly to the desired temperature), the compressor runs at maximum speed until the set temperature has been reached, after which it automatically switches to normal operation. When starting for the first time, after a lengthy period of non operation or whenever a large amount of warm food is placed in the coolbox, the quick cooling function prevents the temperature from rising too far.



Properties

Power requirement (min./max.): 30 W/60 W

Temperature range from: + 2°C to + 15°C (tolerance +/-2°C)

Refrigerant: R1234yf

Dimensions in mm (L x W x H): 440 x 325 x 265

Volume: 32 l

LED-display with temperature indicator

Quick-cooling function

Coolbox, 30 l, permanently installed, with storage space

| Item number | Designation | Suitable for |
|----------------|--|--|
| 81.63910-6469* | Storage box with coolbox, moon grey | TGS, TGM, TGL, left-hand drive, with TM/TN cab from MY 2020 |
| 81.63910-6475* | Storage box with coolbox, desert beige | |
| 81.63910-6468* | Storage box with coolbox, moon grey | TGS, TGM, TGL, right-hand drive, with TM/TN cab from MY 2020 |
| 81.63910-6474* | Storage box with coolbox, desert beige | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).

COMFORT



Cool and stowage boxes

Coolbox, 30 l, extendable, with drawer

| Item number | Designation | Suitable for |
|----------------|---------------------------------------|--|
| 81.63910-6446 | Coolbox | TGS, TGM, TGL with TM/TN cab from MY 2020 |
| 81.63910-6346* | Storage box with drawer, moon grey | TGS, TGM, TGL, left-hand drive, with TM/TN cab from MY 2020, not for vehicles with a mechanical parking brake or manual gearbox |
| 81.63910-6347* | Storage box with drawer, desert beige | |
| 81.63910-6356* | Storage box with drawer, moon grey | TGS, TGM, TGL, right-hand drive, with TM/TN cab from MY 2020, not for vehicles with a mechanical parking brake or manual gearbox |
| 81.63910-6357* | Storage box with drawer, desert beige | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).

Coolbox, 30 l, extendable, with fixed storage area

| Item number | Designation | Suitable for |
|----------------|---------------------------------------|---|
| 81.63910-6446 | Coolbox | TGS, TGM, TGL with TM/TN cab from MY 2020 |
| 81.63910-6350* | Storage box with moon grey storage | TGS, TGM, TGL, left-hand drive, with TM/TN cab from MY 2020 |
| 81.63910-6351* | Storage box with desert beige storage | |
| 81.63910-6360* | Storage box with moon grey storage | TGS, TGM, TGL, right-hand drive with TM/TN cab from MY 2020 |
| 81.63910-6361* | Storage box with desert beige storage | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).

4

Coolbox, 40 l

Two 1.5-litre bottles and one 1 litre bottle can be stored upright in the front section of the coolbox installed centrally below the bunk. A mesh divider keeps the bottles securely in place while driving and protects the contents behind them. The refrigerator is equipped with integrated battery protection which switches off the refrigerator automatically if the battery voltage drops too low.

Two variants are available: One is installed in a fixed position (can only be accessed with the bunk folded up); the other can be extended for convenient access.

The refrigerator has two setting options:

- In hibernation mode (temperature is maintained) or normal operation (temperature is gradually reached), the compressor runs at a reduced speed.



Properties

Power requirement (min./max.): 30 W/60 W

Temperature range from: + 2°C to + 15°C (tolerance +/-2°C)

Refrigerant: R1234yf

Dimensions in mm (L x W x H): 550 x 325 x 315

Volume: 41 l



COMFORT



Cool and stowage boxes

- When the quick cooling function is active (refrigerator cools down rapidly to the desired temperature), the compressor runs at maximum speed until the set temperature has been reached, after which it automatically switches to normal operation. When starting for the first time, after a lengthy period of non operation or whenever a large amount of warm food is placed in the refrigerator, the fast cooling function prevents the temperature from rising too far.



Coolbox, 40 l, permanently installed, with storage space

| Item number | Designation | Suitable for |
|----------------|---|--|
| 81.63910-6457* | Storage box with cool-box, moon grey | TGX, left-hand drive with GX, GM, GN cab from MY 2020 |
| 81.63910-6463* | Storage box with cool-box, desert beige | |
| 81.63910-6456* | Storage box with cool-box, moon grey | TGX, right-hand drive with GX, GM, GN cab from MY 2020 |
| 81.63910-6462* | Storage box with cool-box, desert beige | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).

Coolbox, 40 l, extendable, with drawer

| Item number | Designation | Suitable for |
|----------------|---------------------------------------|--|
| 81.63910-6445 | Coolbox | TGX with GX, GM, GN cab from MY 2020 |
| 81.63910-6272* | Storage box with drawer, moon grey | TGX, left-hand drive with GX, GM, GN cab from MY 2020, not for vehicles with a mechanical parking brake or manual gearbox |
| 81.63910-6273* | Storage box with drawer, desert beige | |
| 81.63910-6268* | Storage box with drawer, moon grey | TGX, right-hand drive with GX, GM, GN cab from MY 2020, not for vehicles with a mechanical parking brake or manual gearbox |
| 81.63910-6269* | Storage box with drawer, desert beige | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).

Coolbox, 40 l, extendable, with fixed storage area

| Sachnummer | Bezeichnung | Passend für |
|----------------|---------------------------------------|--|
| 81.63910-6445 | Coolbox | TGX with GX, GM, GN cab from MY 2020 |
| 81.63910-6258* | Storage box with moon grey storage | TGX, left-hand drive with GX, GM, GN cab from MY 2020 |
| 81.63910-6259* | Storage box with desert beige storage | |
| 81.63910-6260* | Storage box with moon grey storage | TGX, right-hand drive with GX, GM, GN cab from MY 2020 |
| 81.63910-6261* | Storage box with desert beige storage | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).

COMFORT

Cool and stowage boxes



5

Stowage box

The stowage box between the driver's seat and the co driver's seat provides space for storing larger items tidily and is within easy reach of the driver. The lid can be folded back, creating a large opening angle of max. 100° for convenient access. The lid is automatically held in place in every position.

Two trays located on the top of the storage box offer additional access to small and flat items.



Properties

Dimensions in mm (L x W x H): 540 x 300 x 360

Volume: 47 l

| Item number | Designation | Suitable for |
|----------------|-----------------------------------|--|
| 81.63910-6321* | Storage box, narrow, desert beige | TGS with NN cab and TGM, TGL with CC/DN cab from MY 2020 |
| 81.63910-0051* | Storage box cover, desert beige | |
| 81.63910-6320 | Storage box, narrow, moon grey | |
| 81.63910-0050 | Storage box cover, moon grey | |

*The item number does not contain any assembly parts. These must be ordered separately (see assembly instructions and parts overview).



COMFORT

Hammock



The comfortable hammock can be attached above the bunk and ensures a relaxed sitting position. Maximum possible comfort, especially in combination with the retrofittable TV. Simple stowing by rolling up and securing with the help of loops.



Properties

Black design with discreet grey dots

Hard-wearing fabric with stitching

Fastening with 2 spring hooks on the wall bracket to be mounted

Easy to roll up for stowing and fixed with 2 loops

! Note

Ask your MAN service outlet for detailed information and the parts required for assembly. Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|-------------|------------------|
| U1.62159-5010 | Hammock* | TGX from MY 2020 |

*The item number does not contain any assembly parts. These must be ordered separately.

Slatted support with bunk cover for upper bunk

The slatted support of the Facelift 2017 features a changed bunk cover in the core colour "Sand" with a woven MAN Lion.

The colour scheme creates a strong feeling of well-being in the vehicle, thus ensuring the best possible recuperation during rest periods and the best possible driver motivation.



| Item number | Designation | Suitable for |
|---------------|---------------------------------------|---|
| 81.62159-5347 | Slatted support, for TGL, TGM and TGS | TGL, TGM and TGS from Euro 6 to MY 2019 |
| 81.62159-5358 | Slatted support, for TGX | TGX from Euro 6 to MY 2019 |

COMFORT



Mattresses

Our MAN Genuine mattresses offer the driver a good night's sleep and comfortable rest periods – so that they can arrive rested and safely at their next destination. The removable and easy-to-clean cover is very hygienic, making it ideal for allergy sufferers. Thanks to the open-pored structure of the cold foam, the durable mattresses are breathable, permeable to moisture, light and offer good thermal insulation. Their high elasticity means they perfectly adapt to the body.

Mattresses for vehicles from MY 2020

Multi-zone cold foam mattresses in three different thicknesses in the colours Moon grey or Desert beige are available for trucks from model year 2020 onwards.

Luxury

With a thickness of 110 mm and seven ergonomic zones for the head, neck/shoulder, lumbar and pelvic areas, the Luxury cold foam mattress offers the highest level of comfort. It ensures optimum pressure relief for healthy resting and comfortable sleeping. The fabric cover is breathable and can be removed and washed for improved cleaning. Two Velcro tapes secure the mattress to prevent it from slipping on the slatted mattress support.



| Item number | Designation | Fits with (trucks from MY 2020) |
|---------------|---|---------------------------------|
| 81.62160-6120 | Luxury mattress, top 110 mm, 7 lying zones, Moon grey | GM, GX cabs |
| 81.62160-6121 | Luxury mattress, top 110 mm, 7 lying zones, Desert beige | |
| 81.62160-6126 | Luxury mattress, bottom 110 mm, 7 lying zones, Desert beige | GN, GM, GX cabs |
| 81.62160-6127 | Luxury mattress, bottom 110 mm, 7 lying zones, Moon grey | |
| 81.62160-6132 | Luxury mattress, top 110 mm, 7 lying zones, Moon grey | TM cab |
| 81.62160-6133 | Luxury mattress, top 110 mm, 7 lying zones, Desert beige | |
| 81.62160-6138 | Luxury mattress, bottom 110 mm, 7 lying zones, Moon grey | TN, TM cabs |
| 81.62160-6139 | Luxury mattress, bottom 110 mm, 7 lying zones, Desert beige | |

COMFORT

Mattresses



Mattresses for vehicles up to MY 2019

For vehicles up to model year 2019, you can choose from two different mattress thicknesses in grey.

Luxury

The Luxury cold foam mattress offers a thickness of 90 mm and differentiated hardness zones for the highest level of comfort. It ensures optimum pressure relief for very healthy resting and exceptionally comfortable sleeping. The fabric cover is breathable and can be removed and washed for improved cleaning. Two Velcro tapes secure the mattress to prevent it from slipping on the slatted mattress support. The mattress covers can also be ordered separately.



| Item number | Designation | Fits with (trucks up to MY 2019) |
|---------------|--------------------------------|-----------------------------------|
| 81.62160-6093 | Luxury mattress, bottom, 90 mm | XL XLX, XXL cabs (not for TGA XL) |
| 81.62160-6096 | Luxury mattress, top, 90 mm | XXL cab (not for TGA) |
| 81.62160-6099 | Luxury cover, bottom | XL XLX, XXL cabs (not for TGA XL) |
| 81.62160-6102 | Luxury cover, top | XXL cab (not for TGA) |

Comfort

The Comfort cold foam mattress offers a thickness of 70 mm and a very good level of comfort for lying and sleeping. Hygienic and easy to clean, thanks to a breathable, washable and replaceable fabric cover. Two Velcro tapes secure the mattress to prevent it from slipping on the slatted mattress support. The mattress covers can also be ordered separately.

| Item number | Designation | Fits with (trucks up to MY 2019) |
|---------------|---------------------------------|-----------------------------------|
| 81.62160-6092 | Comfort mattress, bottom, 70 mm | L, LX cabs |
| 81.62160-6094 | Comfort mattress, bottom, 70 mm | XL XLX, XXL cabs (not for TGA XL) |
| 81.62160-6095 | Comfort mattress, top, 70 mm | LX cab |
| 81.62160-6097 | Comfort mattress, top, 70 mm | XLX, XXL cabs (not for TGA) |
| 81.62160-6098 | Comfort cover, bottom | L, LX cabs |
| 81.62160-6100 | Comfort cover, bottom | XL XLX, XXL cabs (not for TGA XL) |
| 81.62160-6101 | Comfort cover, top | LX cab |
| 81.62160-6103 | Comfort cover, top | XLX, XXL cabs (not for TGA) |

COMFORT

Fitted sheets



Made from high-quality material and precision-made in Germany, the fitted sheets not only offer first-class sleeping comfort, but also give the cab a stylish touch.

They are available in four variants and adapt perfectly to all MAN mattresses thanks to their high stretch content. A crease-free and smooth surface increases well-being and enables restful sleep. Thanks to the high quality of materials and workmanship, the fitted sheets are particularly durable, easy-care and keep their shape.



Properties

Material: 100 % polyester

Warm grey tone (RAL 7046) harmonises perfectly with the interior colours

Skin-friendly fabric ensures a high comfort factor

Wrinkle-free fitting thanks to tensioning straps on the underside

Optimum fit thanks to compatible variants

Opaque, easy-care and washable material (40°C)

Quick-drying functional fabric

Flame retardant according to automotive standard FMVSS 302

Note

Thanks to the stretchable material, the cover fits optimally on different mattress thicknesses and perfectly compensates for slight differences in shape. Only valid for the specified mattress and fitted sheet combination.

| Item number | Designation | Suitable for |
|---------------|--------------------------------|---|
| K3.62160-0001 | Fitted sheet, TGX, bottom bunk | TGX from MY 2020, mattress thickness 90/110 mm |
| K3.62160-0000 | Fitted sheet, TGS, bottom bunk | TGS, TGM, TGL from MY 2020, mattress thickness 90/110 mm |
| K3.62160-0002 | Fitted sheet, TGS, top bunk | TGS, TGM, TGL from MY 2020, top, mattress thickness 70/90/110 mm; TGS, TGM, TGL from MY 2020 bottom, mattress thickness 70 mm |
| K3.62160-0003 | Fitted sheet, TGX, top bunk | TGX from MY 2020, top, mattress thickness 70/90/110 mm; TGX from MY 2020 bottom, mattress thickness 70 mm |



COMFORT

Curtains



1

Transverse curtains starting from MY 2020

The two-part transverse curtain in opaque fabric allows drivers to rest and sleep in comfort. The bunk area can be completely or partly screened from view, draught and light coming in from the side. It is easy to remove the curtain to wash and clean it.



Properties

Width per curtain part: approx. 1,000 mm

Height: approx. 980 mm

| Item number | Designation | Suitable for |
|---------------|--|--|
| 81.62101-6014 | Transverse curtain, left/right, moon grey | TGX models starting from MY 2020 with GX cab |
| 81.62101-6013 | Transverse curtain, left/right, desert beige | |
| 81.62101-5167 | Transverse curtain, left/right, moon grey | TGX models starting from MY 2020 with GN cab |
| 81.62101-5132 | Transverse curtain, left/right, desert beige | |
| 81.62101-6012 | Transverse curtain, left/right, moon grey | TGX models starting from MY 2020 with GM cab |
| 81.62101-6011 | Transverse curtain, left/right, desert beige | |
| 81.62101-5131 | Transverse curtain, left/right, moon grey | TG models starting from MY 2020 with TN cab |
| 81.62101-5166 | Transverse curtain, left/right, desert beige | |
| 81.62101-5133 | Transverse curtain, left/right, moon grey | TG models starting from MY 2020 with TM cab |
| 81.62101-6015 | Transverse curtain, left/right, desert beige | |

Transverse curtains up to MY 2019

| Item number | Designation | Suitable for |
|---------------|--|-------------------------------|
| 81.62101-5106 | Transverse curtain, black, left or right | TG up to MY 2019 with XLX cab |
| 81.62101-5147 | Transverse curtain, beige, left or right | |
| 81.62101-5097 | Transverse curtain, black, left or right | TG up to MY 2019 with XXL cab |
| 81.62101-5149 | Transverse curtain, beige, left or right | |
| 81.62101-5096 | Transverse curtain, black, left or right | TG up to MY 2019 with XL cab |
| 81.62101-5151 | Transverse curtain, beige, left or right | |
| 81.62101-5094 | Transverse curtain, black, left or right | TG up to MY 2019 with L cab |
| 81.62101-5095 | Transverse curtain, black, left or right | TG up to MY 2019 with LX cab |

COMFORT

Curtains



2

All-round curtains starting from MY 2020



The opaque all-round curtain guarantees privacy during rest breaks and allows relaxing, darkened sleeping breaks also during the day. It also offers good additional heat insulation. Thanks to the two-part design, it is possible to cover only parts of the front or side windows. It is easy to remove the curtain to wash and clean it.

Properties

Width per curtain part: approx. 2,795 mm

Height: approx. 265 mm

| Item number | Designation | Suitable for |
|---------------|--|---------------------------------|
| 81.62101-5163 | All-round curtain, left, moon grey | TG models starting from MY 2020 |
| 81.62101-5162 | All-round curtain, right, moon grey | |
| 81.62101-5161 | All-round curtain, left, desert beige | |
| 81.62101-5160 | All-round curtain, right, desert beige | |

All-round curtains up to MY 2019

| Item number | Designation | Suitable for |
|---------------|---------------------------------|--|
| 81.62101-5107 | All-round curtain, black, left | TG models up to MY 2019 with L, XL, LX and XLX cab |
| 81.62101-5110 | All-round curtain, black, right | |
| 81.62101-5135 | All-round curtain, beige, left | |
| 81.62101-5134 | All-round curtain, beige, right | |
| 81.62101-5109 | All-round curtain, black, left | TG up to MY 2019 with XXL cab |
| 81.62101-5108 | All-round curtain, black, right | |
| 81.62101-5143 | All-round curtain, beige, left | |
| 81.62101-5142 | All-round curtain, beige, right | |

COMFORT



Reading light, LED, 12/24 V

3

Curtains for the rear wall window starting from MY 2020



The curtain for the window on the back wall of the cab is made of opaque fabric and offers effective protection against heat, light and sunlight. During sleep or rest periods, the cab can be blacked out, substantially improving comfort and recuperation. It is easy to remove the curtain to wash and clean it.

Properties

Width per curtain part: approx. 1,580 mm

Height: approx. 560 mm

| Item number | Designation | Suitable for |
|---------------|--|---------------------------------|
| 81.62101-5168 | Rear wall window curtain, moon grey | TG models starting from MY 2020 |
| 81.62101-5169 | Rear wall window curtain, desert beige | |

Curtains for the rear wall window up to MY 2019

| Item number | Designation | Suitable for |
|---------------|---------------------------------|------------------|
| 81.62101-5101 | Rear wall window curtain, black | TG up to MY 2019 |
| 81.62101-5165 | Rear wall window curtain, beige | |

COMFORT

Reading light, LED, 12/24 V



With its elegant and dynamic design, the MAN Genuine LED reading light blends seamlessly into any vehicle interior. It is very flexible and therefore suitable for illuminating a wide range of areas in the cab. The neck of the lamp has a matt black silicone surface and can be individually aligned. The lamp has an on/off switch so that it can always remain connected.



Properties

Supply voltage: 12 V and 24 V via cigarette lighter

Lumen: 20 lm

Long flex arm: 370 mm

Weight: 84 g

Service life: up to 20,000 operating hours

Soft, non-slip and dirt-resistant surface

| Item number | Designation | Suitable for |
|---------------|-----------------------|--------------------------|
| K3.25202-6000 | Reading light 12/24 V | All TG models, incl. TGE |


COMFORT

Gooseneck lamp



The gooseneck lamp with its flexible neck can be used as a reading lamp as well as to illuminate compartments. It provides cosy illumination of the rest area in a warm, pleasant light colour.

The 360°-rotatable lamp head allows illumination of any part of the rest area. It can easily be switched on and off by means of a switch in the base.



Properties

Nominal voltage: 24 V

Power consumption: 5 W

The lamp head can be rotated 360°

| Item number | Designation | Suitable for |
|---------------|----------------|--------------|
| 81.25201-6289 | Gooseneck lamp | All TG |

Reading lamp 24 V

The MAN Genuine reading lamp has a strong spring clip so that it can always be securely attached to book spines, sunblinds or table edges.



| Item number | Designation | Suitable for |
|---------------|-------------------|---|
| 81.66804-6030 | Reading lamp 24 V | All TG models with 24 V cigarette lighter |

COMFORT



Cup holder up to model year 2017

The instrument panel is equipped with a cup holder and storage tray; here you can store cups, cans or small bottles securely. The cup holder can be inserted in the storage tray in two different positions.



Properties

Installation depth: 40 mm

Matched to instrument panel middle section

Colour: Anthracite

| Item number | Designation | Suitable for |
|---------------|-------------|--|
| 81.63740-6015 | Cup holder | TGL and TGM from Euro 6 up to MY 2017 TGS and TGX up to MY 2017 |

Cup holder from model year 2018 to model year 2019

With the 2018 facelift, all MAN TG vehicles receive new cup holders that can be positioned variably and fixed in place. The wide instrument panel in the TGX offers up to four spaces, while the narrow instrument panel in TGL, TGM and TGS offers space for two cup holders.



Properties

Installation depth: 40 mm

Matched to instrument panel middle section

Colour: Anthracite

| Item number | Designation | Suitable for |
|---------------|-------------|---|
| 81.61701-6691 | Cup holder | TGL, TGM, TGS and TGX from MY 2018 to MY 2019 |

COMFORT

Coffee makers



For relaxed coffee enjoyment. With MAN Genuine coffee makers, nothing stands in the way of relaxed coffee enjoyment in the cab. With the three versions for mobile use or fixed installation (five or six cups), filter coffee can be prepared conveniently and without great effort.

Find out more about the coffee makers and the necessary installation material below.

- 1 Coffee maker with bracket KM-6 (6 cups)
- 2 Coffee maker with bracket MC054 (5 cups) with 24 V-safety universal plug

COMFORT

Coffee makers



1

Coffee maker KM-6

The classic coffee maker for 6 cups in a beautiful design made of anodised aluminium, specially developed for the truck. The stainless steel jug slots into a well to prevent it tipping over, so you can enjoy the smell and aroma of freshly brewed coffee without any problems during breaks.



Properties

Capacity: 6 cups

Nominal voltage: 24 V

Power consumption: 500 W

Weight: 2 kg

Dimensions: 160 x 215 x 265 mm

Brewing time: 1½ – 2 minutes per cup

Required filter type: 102

! Note

For installation on the MAN TGX (with double cup holder) from MY 2020, the bracket and the base plate are also required (only available for left-hand drive vehicles).

The electrical connection is preferably made at the MAN interface 50A (VK code 0P1DD) or directly on the vehicle battery.

| Item number | Designation | Suitable for |
|---------------|---------------------------|---|
| K3.77620-6001 | Coffee maker KM-6 | MAN TGX (with double cup holder) from MY 2020 left-hand drive |
| K3.77620-6003 | Bracket coffee maker KM-6 | |
| K3.77620-0000 | Basic plate | |

COMFORT

Coffee makers



2

Coffee maker MC054 with 24 V-safety universal plug

The MC054 coffee maker for five cups in a modern design with an easily accessible swivel filter and glass jug. The integrated warming plate including thermostat ensures that the coffee stays hot for a long time.



Properties

Capacity: 5 cups

Nominal voltage: 24 V

Power consumption: 300 W

Weight: 1.1 kg

Dimensions: 240 x 155 x 240 mm

Permanent filter in scope of supply

Bracket in scope of supply

With 24 V-safety universal plug

Note

For installation on the MAN TGX (with double cup holder) from MY 2020, the base plate is also required (only available for left-hand drive vehicles).

The electrical connection is made via the safety universal plug on the 24 V power socket.

| Item number | Designation | Suitable for |
|---------------|--------------------|--|
| U1.77620-6128 | Coffee maker MC054 | MAN TGX (with double cup holder) from MY 2020 left-hand drive |
| K3.77620-0000 | Base plate | |



COMFORT



Microwave with installation frame

Your new 24 V microwave for the TGX with an installation kit that is perfectly adapted to the front middle stowage box in the GX cab. This makes our microwave a convenient and efficient way to prepare meals. An extension of your kitchen equipment (also see our coffee makers) is therefore possible without any problems and without installing additional shelves or having to omit the bed for space reasons, for example.



Properties

Nominal voltage: 24 V

Power: 500 W

Capacity: 17 litres

Display for cooking time, power and current time

Saving and restoring settings

Installation kit suitable for GX cab

Designed for operation in the cab

! Note

Please note the operating instructions and safety instructions of the appliance!
Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|-------------------------------------|-------------------------|
| K3.63904-6000 | Microwave 24 V | |
| K3.63904-6001 | Installation kit for microwave 24 V | TGX GX roof from MY2020 |

COMFORT

Ashtray



Ashtray with cigarette holder and a small groove to extinguish the cigarette. Versatile can be used as a table ashtray outside the vehicle.



Properties

Matched with the MAN genuine cup holder

| Item number | Designation | Suitable for |
|---------------|---|-----------------------------|
| 81.63740-6039 | Ashtray, anthracite, height approx. 12,7 cm, base diameter approx. 7 cm | TG models from MY 2020 |
| 81.63740-6038 | Ashtray, anthracite, height approx. 12,7 cm, base diameter approx. 6 cm | TG models from MY 2018; TGE |
| 65.63740-6001 | Ashtray satin black | TGE |

COMFORT

Dash Storage Board




With its slim and unobtrusive design, the practical dash storage board creates additional space for working or storing items. It is made of high-quality materials and harmonises perfectly with the colour scheme in the cab due to the coating with anthracite-coloured imitation leather. The non-slip surface also ensures a secure hold of the discarded objects.

Special version available for vehicles with MAN Opti-View mirror replacement system.

Note

Care must be taken to ensure that national admission requirements are complied with. No objects may be placed on the storage board while driving.



COMFORT

Dash Storage Board



Properties

High-quality material coated with imitation leather and soft edge in anthracite

Non-slip surface


No restriction of the legally required fields of vision

Supply with general operating permit (ABE)

Maximum load: 8 kg (avoid point loading)

Complies with general flammability requirements for vehicle interiors according to UN ECER118 (Annex 6) or FMVSS 302

| Item number | Designation | Suitable for |
|---------------|--------------------------------|--|
| K3.63715-6001 | Storage board left hand drive | TGX after MY 2020 without OptiView |
| K3.63715-6000 | Storage board right hand drive | |
| K3.63715-6003 | Storage board left hand drive | TGL/TGM/TGS after MY 2020 without OptiView |
| K3.63715-6002 | Storage board right hand drive | |
| K3.63715-6005 | Storage board left hand drive | TGX after MY 2020 with OptiView |
| K3.63715-6004 | Storage board right hand drive | |
| K3.63715-6007 | Storage board left hand drive | TGL/TGM/TGS after MY 2020 with OptiView |
| K3.63715-6006 | Storage board right hand drive | |
| U1.28240-5029 | Monitor bracket A frame | Alle TG models with factory fitted monitor |





COMFORT

Window cleaning set



This is where things that belong together are brought together. The cloth washer with squeegee and the robust ice scraper provide the necessary visibility in no time, while the telescopic rod permits easy use. Stowing options are adapted to the conditions of the respective cab variant (see overview of assembly parts). Extendable telescopic handle with plug connector for changing between the cleaning head (cloth washer with squeegee) and ice scraper.



Properties

Length: Until approx. 150 cm long

Colour: Black

| Item number | Designation | Suitable for |
|---------------|---|---|
| 08.00344-9030 | Squeegee with MAN logo | TG models, TGE (no holder available) |
| 09.38064-0136 | Ice scraper with MAN logo | |
| 08.00344-9029 | Telescopic arm, anthracite/red, 78–1025 cm | |
| 08.00344-9031 | Telescopic arm, anthracite, 78-125 cm, hard handle | |

COMFORT

Compressed-air gun



The MAN Genuine compressed-air gun allows the vehicle interior to be blown out with compressed air for cleaning purposes.

Properties

Hose length: 350 cm

Colour: Black or red

Supply pressure: Approx. 5 – 6 bar



! Note

A compressed-air connection in the cab is required for the compressed-air hose with compressed-air gun. From this point, the driver can reach and clean every part of the cab with the coiled hose and the compressed-air gun.

| Item number | Designation | Suitable for |
|---------------|---|------------------------------|
| 81.66818-6034 | Compressed-air gun, Hose length 3.500 mm, black with MAN branding | TGL, TGM, TGS and TGX models |
| U1.66818-6000 | Compressed-air gun, Hose length 3.500 mm, red with MAN branding | |

COMFORT



Compressed-air connection in cab

The MAN Genuine compressed-air connection in the cab enables the connection of an MAN Genuine compressed-air gun or MAN Genuine tyre inflation hose.



Properties

Supply pressure: Approx. 5 – 6 bar

| Item number | Designation |
|---------------|---------------------------|
| 81.98125-6120 | Compressed-air connection |
| 81.51715-0376 | Holder |
| 04.35160-9776 | Polyamide pipe 6X1 |
| 06.11164-8304 | Hex nut M16X1.5 |
| 81.98181-0160 | Clamping ring 6 |

Suitable for

TGL, TGM, TGS and TGX models

Waste container

Removable and easy-to-clean waste container between the seats.

Increased interior comfort and ease of use thanks to:

- Cleanliness in the interior
- Waste container also easily accessible from the bed

High quality with closed surfaces made of easy-to-clean and washable material.



| Item number | Designation |
|---------------|--------------------------------|
| 81.66912-6264 | Waste container |
| 81.66912-6294 | Waste container in storage box |
| 81.66912-6295 | Waste container in storage box |

Suitable for

TGS and TGX up to MY 2019

GM, GN and GX cab from MY 2020

TN and TM cab from MY 2020

COMFORT

Care utensils



Keep the cockpit clean with our useful care utensils. Whether multi-purpose cleaner, special windscreen cleaner or our antifreeze and frost remover – you'll always have your cockpit under control.



| Item number | Designation | Suitable for |
|---------------|-----------------------------------|------------------|
| 09.28003-0062 | Washer fluid antifreeze, 1 litre | All MAN vehicles |
| 09.28003-0087 | Washer fluid antifreeze, 5 litres | |
| 09.28003-0063 | All-purpose cleaner, 1 litre | |
| 09.28003-0061 | Windscreen cleaner 0.5 litres | |

Loop for exterior storage compartment

The loop makes it easier to reach and close the exterior storage compartment flap. Quick and easy assembly.



Properties

Total loop length 340 mm

| Item number | Designation | Suitable for |
|---------------|-----------------|------------------------------|
| 81.96805-0001 | Loop | TGL, TGM, TGS and TGX models |
| 06.02253-0304 | Flat head screw | |



TGX 18.640

MAN
Genuine
Accessories

COMFORT

Wind deflector



The wind deflectors provide optimum ventilation for the vehicle interior. They therefore provide greater driving comfort and improve the interior climate. They prevent uncomfortable heat build-up in direct sunlight. The air can circulate even if it rains or snows, as the side windows can remain slightly open without the driver noticing significant increase in wind noise. As a result, the air-conditioning system can be switched off at times and operating costs reduced.



Properties

One set contains two deflectors including mounting material, suitable for the left and right side

Made of high-quality cast acrylic glass

Colour selection: Transparent, tinted, dark

Easy-care, weather-resistant and withstand washing in a washing system

With general type approval (ABE)

Note

In Switzerland, only transparent wind deflectors are permitted

COMFORT

Wind deflector



| Item number | Designation | Suitable for |
|---|---|--------------------------------|
| TGX from MY 2020 | | |
| K3.62651-6000 | Wind deflector set*, transparent | Left-hand drive |
| K3.62651-6001 | | Right-hand-drive |
| K3.62651-6002 | | With kerb mirror on both sides |
| K3.62651-6004 | Wind deflector set*, tinted | Left-hand drive |
| K3.62651-6003 | | Right-hand-drive |
| K3.62651-6005 | | With kerb mirror on both sides |
| K3.62651-6008 | Wind deflector set*, dark | Left-hand drive |
| K3.62651-6007 | | Right-hand-drive |
| K3.62651-6006 | | With kerb mirror on both sides |
| TGL, TGM, TGS from MY 2020 | | |
| K3.62651-6010 | Wind deflector set*, transparent | Left-hand drive |
| K3.62651-6011 | | Right-hand-drive |
| K3.62651-6012 | | With kerb mirror on both sides |
| K3.62651-6014 | Wind deflector set*, tinted | Left-hand drive |
| K3.62651-6013 | | Right-hand-drive |
| K3.62651-6015 | | With kerb mirror on both sides |
| K3.62651-6016 | Wind deflector set*, dark | Left-hand drive |
| K3.62651-6017 | | Right-hand-drive |
| K3.62651-6018 | | With kerb mirror on both sides |
| TGL, TGM, TGS, TGX from MY 2020 | | |
| K3.62651-6035 | Wind deflector set*, transparent | With OptiView |
| K3.62651-6036 | Wind deflector set*, tinted | |
| K3.62651-6037 | Wind deflector set*, dark | |
| K3.62651-6033 | Spare parts kit for TG series starting from MY 2020 (six brackets/six screws) | All TG from MY 2020 |
| TGL, TGM, TGS, TGX up to MY 2019 | | |
| K3.62651-6024 | Wind deflector set*, transparent | Left-hand drive |
| K3.62651-6023 | | Right-hand-drive |
| K3.62651-6025 | | With kerb mirror on both sides |
| K3.62651-6026 | Wind deflector set*, tinted | Left-hand drive |
| K3.62651-6027 | | Right-hand-drive |
| K3.62651-6028 | | With kerb mirror on both sides |
| K3.62651-6030 | Wind deflector set*, dark | Left-hand drive |
| K3.62651-6029 | | Right-hand-drive |
| K3.62651-6031 | | With kerb mirror on both sides |
| K3.62651-6032 | Spare parts kit for TG series up to MY 2019 (nine brackets/nine screws) | All TG up to MY 2019 |

*including mounting material

COMFORT



Door wind deflector TGE

Door wind deflectors for the front side vehicle doors enable optimal ventilation of the vehicle interior and add to your driving comfort. They improve the interior climate and make it possible to enjoy circulating fresh air, even when it is raining or snowing. In strong sunlight, they prevent the unpleasant accumulation of heat in the vehicle interior when the windows remain open up to just above the lower edge of the wind deflector. (1 set = 2 units)



! Note

Please note: product has no approval for Switzerland!

| Item number | Designation | Suitable for |
|---------------|---------------------|--------------|
| 65.62610-6000 | Door wind deflector | TGE |

COMFORT

Door side extension



A door side trim made of damage-resistant plastic attached to the underside of the doors improves the aerodynamic flow around the vehicle. This reduces fuel consumption. The entrance area becomes less dirty and is not exposed to the weather. The vehicle is visually enhanced and the driver is protected from slipping on icy or dirty steps. Furthermore, access to the cab is made more difficult by the concealed steps. This offers protection against theft.

Note

Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|--|---|
| 81.62610-0075 | Door extension, left, narrow, RAL 9010* | GS with TN, TM and NN cab from MY 2020 onwards |
| 81.62610-0076 | Door extension, right, narrow, RAL 9010* | |
| 81.62610-0077 | Door extension, left, narrow, textured lacquer finish | |
| 81.62610-0078 | Door extension, right, narrow, textured lacquer finish | |
| 81.62610-0087 | Door extension, left, wide, RAL 9010* | TGX with GN, GM and GX cab from MY 2020 onwards |
| 81.62610-0088 | Door extension, right, wide, RAL 9010* | |
| 81.62610-0091 | Door extension, left, wide, textured lacquer finish | |
| 81.62610-0092 | Door extension, right, wide, textured lacquer finish | |

*pure white

COMFORT



Extension for side panels

The side panel extensions made of high-quality plastic almost completely close the side space between the cab and the semitrailer/body. This achieves a particularly effective aerodynamic airflow around the entire vehicle – even in cross winds.

The side panels with extensions make a considerable contribution to reducing fuel consumption. They also reduce wind noise and soiling and visually enhance the vehicle.

The extensions are only available in combination with a roof spoiler with aerodynamic, reversible extensions.



Note

The extensions can only be attached if the side panels can be folded on both sides and a hinge with lock (81.62940-6005) is installed on the two lower brackets. The hinge 81.62940-6004 of the aeropackage is sufficient on the two upper brackets. Approximately 50 fastening clips are required for installation. Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|----------------------------------|----------------------------------|
| 81.62910-0450 | Right extension, top | TGX with GX, GM cab from MY 2020 |
| 81.62910-0452 | Right extension, centre | |
| 81.62910-0454 | Right extension, bottom | |
| 81.62910-0449 | Left extension, top | |
| 81.62910-0451 | Left extension, centre | |
| 81.62910-0453 | Left extension, bottom | |
| 81.62910-0436 | Extension of roof spoiler, right | TGX with GX cab from MY 2020 |
| 81.62910-0435 | Extension of roof spoiler, left | |
| 81.62910-0440 | Extension of add-on parts, right | |
| 81.62910-0439 | Extension of add-on parts, left | TGX with GM cab from MY 2020 |
| 81.62910-0434 | Extension of roof spoiler, right | |
| 81.62910-0433 | Extension of roof spoiler, left | |
| 81.62910-0442 | Extension of add-on parts, right | |
| 81.62910-0441 | Extension of add-on parts, left | |

Note

An overview of any additional assembly parts can be found in the following table.

| Item number | Designation | Suitable for |
|---------------|-------------------|----------------------------------|
| 81.97103-0043 | Fastening clip | TGX with GX, GM cab from MY 2020 |
| 81.62940-6005 | Hinge with lock | |
| 81.62940-6004 | Aeropackage hinge | |

COMFORT

Inside mudguard mud flap



The plastic mud flap is fitted to the inside mudguard on the driver's and/or co-driver's side. This reduces the dirt ingress on the steps. Enhanced anti-slip properties due to the steps being protected against dirt and ice formation.



| Item number | Designation | Suitable for |
|---------------|--------------------------------|------------------|
| 81.61230-0397 | Mud flap, left step unit, TGX | TGX from MY 2020 |
| 81.61230-0398 | Mud flap, right step unit, TGX | TGX from MY 2020 |
| 81.61230-0399 | Mud flap, left step unit, TGS | TGS from MY 2020 |
| 81.61230-0400 | Mud flap, right step unit, TGS | TGS from MY 2020 |

Note

An overview of additional assembly parts can be found in the following table.
Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|-----------------|-----------------------|
| 81.92201-0115 | Expanding rivet | TGS, TGX from MY 2020 |

SAFETY





Driving safely.

MAN trucks offer outstanding active and passive safety. Still, it's always best to play things safe with a few extras that can help out in emergencies – or prevent them from occurring in the first place.

With MAN Genuine Accessories, you can be completely sure that everything works and fits together perfectly. Get home safely!



SAFETY

Tyre chains



Made from hardened 5.5 mm or 7 mm steel, our tyre chains for trucks and buses provide unsurpassed traction and stability on snow and ice. Thanks to their robust construction, high-quality materials with corrosion protection, they are durable and reliable – even under extreme conditions.

Properties

Link thickness of 5.5 mm and 7 mm

Simple and fast installation/removal

Cross chain made from wear-resistant hardened steel

Reversible continuous chain mesh for increased mileage

Optimum chain tension thanks to locking buckles

Certified to ÖNORM V5119

Including fitting aid, clamping lever and repair chain links

Supplied in pairs (individually packed in MAN bag)

Using MAN Genuine tyre chains not only increases the drive and braking force of your vehicle but also improves directional stability, thereby enabling you to enjoy a calm and controlled driving experience, no matter how turbulent the weather.

Our tyre chains can be fitted quickly and easily thanks to their low weight. They adapt seamlessly to your truck or bus tyres and protect hubcaps and rims from damage. You can therefore be fully prepared for winter road conditions quickly and with minimum effort.

! Note

Observe the vehicle operator's manual. Ensure that there is sufficient clearance to adjacent vehicle parts. Observe country-specific legal requirements.

| Item number | Designation |
|---------------|--------------------|
| K3.66815-6000 | Tyre chain, 5.5 mm |
| K3.66815-6001 | |
| K3.66815-6002 | |
| K3.66815-6003 | |
| K3.66815-6004 | |
| K3.66815-6005 | |
| K3.66815-6006 | |
| K3.66815-6007 | |
| K3.66815-6008 | Tyre chain, 7 mm |

Suitable for

All TG series (except TGE)
Refer to the tyre chain usage matrix for tyre sizes in the
► [MAN Service Portal](#)

SAFETY



Alcohol Interlock, not bypassable

The Alcohol Interlock is a breath alcohol-controlled immobilizer.

Traffic accidents caused by alcohol are particularly annoying because they are absolutely preventable. The driver must react in a fraction of a second even in a sober state, e.g. to avoid an impending accident. Under the influence of alcohol, this is impossible. With the preparation for connecting a device for determining the alcohol content in the breath, the engine can only be started if the driver is fit to drive.



! Advantages

Driving under the influence of alcohol will be prevented, risk of personal injury and property damage, including the associated costs and loss of image for the transport company are reduced.

Properties

Ideal solution for safe driving

Not bypassable version

Device quickly ready for use

Simple menu navigation

Easy installation

! Note

OPHN3 Preparation for Alcohol Interlock, not bypassable – must be installed.

| Item number | Designation | Suitable for |
|---------------|---|----------------------------|
| U1.27760-6001 | Breath alcohol measuring device 7500 | All TG series from MY 2024 |
| U1.27740-5001 | Holder left hand drive for CC cabs | |
| U1.27740-5000 | Holder right hand drive for CC cabs | |
| U1.27740-5003 | Holder left hand drive for TN/TM/ DN/NN/GN/GM/GX cabs | |
| U1.27740-5004 | Holder right hand drive for TN/TM/ DN/NN/GN/GM/GX cabs | |
| U1.27740-5002 | Holder flat roof | |
| 36.27760-0004 | Mouthpiece VE 5 pcs | |

SAFETY



Revolving beacon

A revolving beacon warns of dangerous situations such as accidents or deployment sites. It ensures maximum own and third-party safety, emitting intensive warning signals by means of optimum light bundling and distribution.



Properties

Light distribution in accordance with ECE-R65 and R10

LED technology

10 to 32 V

Dimensions: dia. 130 mm x 80 mm

Note

Revolving beacons mounted on the vehicle are reserved for priority route users and special-purpose vehicles.

Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|-------------------------------------|------------------------------|------------------------------|
| 81.25207-6074 | LED revolving beacon, yellow | TGL, TGM, TGS and TGX models |
| 81.25207-6075 | LED revolving beacon, blue | |
| Also available in a halogen variant | | |
| 81.25207-6072 | Revolving beacon, yellow | |
| 81.25207-6073 | Revolving beacon, blue | |

SAFETY

LED spotlight MAN



MAN Genuine LED spotlights ensure greater safety at work thanks to optimal lighting conditions. The LED technology provides particularly bright light whilst requiring little energy, and is both durable and state-of-the-art. Thanks to the advanced type of protection, the spotlights are guaranteed to be particularly robust. Three light distributions for long-range illumination, close-range illumination and R23/close-range illumination are available in three light intensities of 1,200, 2,000 and 3,000 lumens.

Properties

Robust and durable LED technology with innovative thermal management

Suitable for the harshest requirements and outdoor conditions thanks to aluminium die-cast housing

Scratch and UV resistant owing to coated cover glass

Watertight even when high-pressure cleaners (IP6K9K) are used

! Note

The LED spotlights have an integrated Lear plug and a bracket (exception: LED spotlight with ECE-R23 approval as reversing light). Fitting by an MAN service outlet is recommended.

➔ Further information

Further product details and a parts list for the R23 plug set can be found in the ► [MAN Service Portal](#).

| Item number | Designation | Suitable for |
|---------------|--|--|
| U1.25103-6014 | Close-range illumination, 1,200 lumens | TGL, TGM, TGS and TGX with bracket and wiring for spotlight ex works |
| U1.25103-6016 | Close-range illumination, 2,000 lumens | |
| U1.25103-6018 | Close-range illumination, 3,000 lumens | |
| U1.25103-6019 | Close-range illumination 1,000 lumens with R23 approval as reversing light | |
| U1.25103-6013 | Long-range illumination, 1,200 lumens | |
| U1.25103-6015 | Long-range illumination, 2,000 lumens | |
| U1.25103-6017 | Long-range illumination, 3,000 lumens | |
| K3.25140-6000 | Spotlight bracket (special bracket for spotlight) | |

SAFETY

LED spotlight



With two different light outputs for long- or close-range illumination, there is a suitable solution for every requirement.



Properties

Robust and durable LED technology with innovative thermal management

Suitable for the harshest requirements and outdoor conditions thanks to aluminium die-cast housing

Scratch and UV resistant owing to coated cover glass

Watertight even when high-pressure cleaners (IP6K9K) are used

Note

Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|--|--|
| U1.25103-6023 | Close-range illumination, 1,000 lumens | TGL, TGM, TGS and TGX with bracket and wiring for spotlight ex works |
| U1.25103-6022 | Close-range illumination, 1,800 lumens | |
| U1.25103-6021 | Long-range illumination, 1,000 lumens | |
| U1.25103-6020 | Long-range illumination, 1,800 lumens | |

Spotlight, halogen

The spotlight illuminates the desired area. With extra-robust housing, this spotlight is also suitable for construction sites.



Properties

H3 bulb, 70 W

24 V, plug connector for simple connection

| Item number | Designation | Suitable for |
|---------------|-------------|------------------------------|
| 81.25103-6068 | Spotlight | TGL, TGM, TGS and TGX models |

SAFETY



Additional reversing light, LED

With the additional reversing lights it is possible to recognise obstacles, the road condition and the edge of the road even more clearly in the dark.

The LED technology provides particularly bright light whilst requiring little energy, and is both durable and state-of-the-art. The high degree of protection guarantees that the reversing light is particularly rugged.



Properties

Robust and durable LED technology with innovative thermal management

Suitable for the harshest requirements and outdoor conditions thanks to aluminium die-cast housing

Scratch and UV resistant owing to coated cover glass

Watertight even when high-pressure cleaners (IP6K9K) are used

Close-range illumination with 1,000 lumens

! Note

The reversing light has a German plug connection.
Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|--|--|
| U1.25103-6019 | Close-range illumination, 1,000 lumens | TGL, TGM, TGS and TGX with bracket and wiring for reversing light ex works |
| 81.25449-5044 | Y-adapter cable, 1.5 m | TGL, TGM, TGS and TGX from MY 2020 |

Additional reversing light, halogen

With the additional reversing lights you can make out obstacles, the road condition and the edge of the road even more clearly in the dark. Another impressive feature is the replaceable lens, which means that it is not necessary to replace the complete light unit in the event of damage. A bulb retaining device that is particularly stable against vibration ensures a longer service life.



Properties

H3 bulb, 24 V/21 W

| Item number | Designation | Suitable for |
|---------------|----------------------------|------------------------------|
| 81.25103-6074 | Additional reversing light | TGL, TGM, TGS and TGX models |

SAFETY



DTCO thermal paper

The paper roll offers excellent readability and reliability, even in the event of large temperature fluctuations. Can also be used for other tachographs such as VDO, Actia and Stoneridge.



Properties

3 x 8 m rolls

Item number

81.27103-6000

Designation

DTCO thermal paper

Suitable for

All MAN vehicles with digital tachograph

Tachograph disc

The tachograph discs record speed, distance travelled and steering and rest times. They are manufactured according to DIN ISO 9001 and can be evaluated using the following methods:

- Visual evaluation
- Software evaluation
- Microscopic evaluation



Properties

Scope of delivery: 100 tachograph discs per item number

Item number

81.27103-0026

Designation

125-3000-24E tachograph disc
(one day, one driver, 125 km/h)

81.27103-0052

Tachograph disc (one day, 125 km/h)

81.27103-0053

125-24/2EC4B tachograph disc
(one day, two drivers, 125 km/h,
electronically evaluable)

82.27103-0017

24EC4KA tachograph disc
(combination tachograph disc
without speed, Austria)

Suitable for

All MAN vehicles with an analogue tachograph

Combination disc, not electronically evaluable,
separate approval for Austria
(not replaceable with 81.27103-0053)

SAFETY

First-aid kit



In an emergency, the first-aid kit guarantees outstanding first aid for injured persons.

Properties

Fulfills statutory requirements of §35h StVZO (German Road Traffic Licensing Regulations) and DIN 13164.

In six languages



| Item number | Designation | Suitable for |
|---------------|---------------|------------------|
| 83.09112-6001 | First-aid kit | All MAN vehicles |

First-aid pouch

First aid in emergencies and also legally required! The DIN-compliant first-aid pouch is an essential companion in emergencies. It is equipped in accordance with DIN 13164, and is stored in a simple, space-saving manner.

Properties

Fulfills statutory requirements of §35h StVZO (German Road Traffic Licensing Regulations) and DIN 13164.

In six languages



| Item number | Designation | Suitable for |
|---------------|-----------------|------------------|
| 81.66803-6005 | First-aid pouch | All MAN vehicles |

SAFETY



Warning triangle

Attention: the reflective warning triangle with the ECE mark of conformity (§53a, StVZO – German Road Traffic Licensing Regulations) is an important companion in hazardous situations. The triangle's pivoting metal base ensures it can be set up quickly and safely in the event of an accident or breakdown.

Properties

Swivelling metal base

Colour: Red/orange



| Item number | Designation |
|---------------|------------------|
| 81.66907-6016 | Warning triangle |

| Suitable for |
|------------------|
| All MAN vehicles |

Set-up hazard warning light

In the event of an accident, this light is the perfect companion. The intelligent base system ensures that it can be set up securely on any surface. You will be impossible to overlook.



| Item number | Designation |
|---------------|-----------------------------|
| 81.66804-6039 | Set-up hazard warning light |

| Suitable for |
|------------------|
| All MAN vehicles |

High-visibility vest

The best possible protection on busy streets and highways: The reflective high-visibility vest ensures that you can be seen from a long way off in the event of a breakdown or accident.

Properties

Colour: Orange

Additional reflectors



| Item number | Designation |
|---------------|----------------------|
| 09.82007-0749 | High-visibility vest |

| Suitable for |
|------------------|
| All MAN vehicles |

SAFETY

Jump leads with Startsafe



Get back on the move safely again with the jump leads from MAN. High-quality jump leads made from flexible copper cable and fully insulated charging clips. Flame-retardant, unbreakable and tear-resistant as well as oil- and acid-resistant.



Properties

PVC-sheathed cable

7 m long, 50 mm² cross section

Item number

81.25454-6333

Designation

Jump leads with Startsafe

Suitable for

All MAN vehicles

Wheel chocks

Our robust wheel chocks secure the vehicle and prevent it from rolling away, also on downhill gradients. Available in metal or robust plastic. StVZO (German Road Traffic Licensing Regulations) Vehicles III. Manufacturing and operation regulations Sect. 41 Brakes and wheel chocks)

! Note

Please note the maximum radius of your tyre (460 mm/530 mm).



Item number

81.66935-0021

Designation

Wheel chock, plastic, G53, traffic-yellow

81.66935-0015

Wheel chock, steel, G53, yellow-orange

81.66935-0016

Wheel chock, steel, G53, black

81.66935-0023

Wheel chock, steel, G53, foldable with 2 straps

81.66935-0012

Wheel chock, steel, G46, yellow-orange

65.66935-0001

Wheel chock

Suitable for

All MAN vehicles

TGE

SAFETY

Hydraulic jack



A good lifter: this hydraulic jack is indispensable when you need to change a tyre.

Note

Please note the necessary tonnage and the maximum height requirement (in mm) of your vehicle.



| Item number | Designation | Suitable for |
|---------------|--|---------------|
| 65.66805-6001 | Jack, 4 t, 540 mm | e.g. TGE |
| 65.66805-0000 | Pump lever | |
| 81.66805-6091 | Jack, 5 t min. 212 max. 468 mm | e.g. TGL, TGM |
| 81.66805-6092 | Jack, 10 t min. 220 max. 480 mm | |
| 81.66805-6068 | Jack, 10 t min. 175 max. 450 mm | e.g. TGL, TGM |
| 81.66805-0005 | Pump lever, 1000 mm, two-piece | |
| 81.66805-0001 | Pump lever, 600 mm, one-piece | |
| 81.66805-6052 | Pump lever, 700 mm, three-piece | |
| 81.66805-6088 | Jack, 12 t, single-stage min. 220 max. 440 mm | e.g. TGL, TGM |
| 81.66805-6089 | Jack, 12 t, dual-stage min. 200 max. 525 mm | |
| 81.66805-6090 | Jack, 25 t, min. 240 max. 522 mm | e.g. TGS, TGX |
| 81.66937-0019 | Attachment bracket for 25 t jack | |

Tyre inflation hose

Have your tyres lost air? With the tyre inflation hose, you are ideally equipped when on the move. The hose comes complete with pressure gauge and in lengths of 10 and 20 metres.

Note

A compressed-air connection in the cab is required for the tyre inflation hose.



| Item number | Designation | Suitable for |
|---------------|--------------------------|------------------|
| 81.96330-6025 | 10 m with pressure gauge | All MAN vehicles |
| 81.96330-6026 | 20 m with pressure gauge | |

SAFETY

Tool storage



With this tool pouch or tool box, you have everything you need for your MAN whatever happens: this includes spanners, wheel nut spanners, screwdrivers.



| Item number | Designation | Suitable for |
|---------------|--|------------------------------|
| 81.66802-6201 | Tool bag with contents | TGS, TGX with plastic bumper |
| 81.66802-6206 | Tool bag with contents | TGS, TGX with steel bumper |
| 81.66802-6208 | Tool bag with contents | TGL; all TGM with N16 VIN |
| 81.66802-6165 | Tool bag with contents | TGA |
| 65.66802-0003 | Tool box for floor storage compartment | TGE |
| 65.66802-0002 | Tool pouch (without contents) | All MAN vehicles |

SAFETY



Universal safety plug

Universal safety plug with screwed strain relief.

Properties

With integrated replaceable fuse from 1 to 16 A/12-24 V

Fits cigarette lighter sockets and standard sockets

With screw contacts up to 2.5 mm²

Adjustment sleeve can be securely locked in place with bayonet catch and folding pulling tool

TÜV tested



! Note

Fulfils the requirements of the MAN Guide to Fitting Bodies and the MAN safety regulations as per TI 8130TAa.

| Item number | Designation | Suitable for |
|---------------|------------------------------------|------------------|
| U1.25435-6005 | Universal safety plug 12/24 V 16 A | All MAN vehicles |

Bulb box

With this bulb box you always have a clear view: if a bulb ever burns out, this kit enables you to rectify any damage quickly and easily. Includes the most common bulbs and fuses for all TG models and MAN buses/coaches with H7 lamps.



| Item number | Designation | Suitable for |
|---------------|-------------|--|
| 07.92000-4029 | Bulb box | TGL, TGM, TGS and TGX models and all buses/coaches with H7 lamps |

SAFETY

Fuel tank guard



The MAN Genuine fuel tank guard protects the tank against fuel theft. It locks the tank securely so that no fuel can be extracted through the filler opening.

Two variants are available, an internal and external guard, both of which reliably prevent fuel extraction. The external variant is also visible from the outside and has a deterrent effect. Attempted theft is prevented from the outset, thus avoiding damage to the vehicle.

Supplementing this is the anti-spill valve, which prevents fuel leakage in the event of an accident. It can be inserted into both the internal and external guard. The valve is pressed inwards by the tank nozzle.

The right assembly tool ensures quick and easy fitting.



Properties

Version in robust aluminium alloy

150 litres/minute flow rate

! Note

The external variant may not be suitable for certain bodies.

| Item number | Designation | Suitable for |
|---------------|------------------|------------------------------|
| K3.12210-6000 | External guard | TGL, TGM, TGS and TGX models |
| K3.12210-6001 | Internal guard | |
| K3.12240-6001 | Anti-spill valve | |
| K3.12240-6000 | Assembly tools | |



SAFETY

Filler cap, lockable



High quality and robust: Equip your vehicle with a lockable fuel-tank cap to protect yourself against fuel theft.



Properties

Colour: Black

Ventilated cap with bayonet lock for diesel tanks

! Note

Can be combined with the MAN Genuine fuel tank guard

| Item number | Designation | Suitable for |
|---------------|----------------------|---|
| 81.12210-6027 | Filler cap, lockable | TGL, TGM, TGS and TGX models All buses/coaches |

AdBlue® filler cap, lockable

Equip your vehicle with a lockable filler cap to protect yourself against AdBlue® theft.



Properties

Colour: Blue

| Item number | Designation | Suitable for |
|---------------|--------------------|---|
| 81.15402-6027 | AdBlue® filler cap | TGL, TGM, TGS and TGX models All buses/coaches |

SAFETY



Trailer connection

Connect what belongs together – truck and trailer. Our coupling heads are particularly robust and durable. Even when handled roughly, the coupling heads will not break. Their special alloy offers optimum protection against corrosion. Colour-coded and designed in accordance with DIN ISO 1728 to prevent the coupling heads being mixed up.

Properties

Operating pressure 0 to 10 bar



| Item number | Designation |
|---------------|--|
| 81.51220-6068 | Coupling head, vehicle, supply, red |
| 81.51220-6075 | Coupling head, trailer, supply, red |
| 81.51220-6069 | Coupling head, vehicle, brake, yellow |
| 81.51220-6038 | Coupling head, trailer, brake, yellow |
| 81.51220-6120 | Duomatic quick coupling, vehicle, with lever |
| 81.51220-6121 | Duomatic quick coupling, trailer, without lever |
| 82.51220-6027 | Duomatic quick coupling, vehicle, without lever |
| 81.96340-0902 | Spiral hose, 4 m M16X1.5-M18X1.5 |
| 81.96340-0880 | Spiral hose, 4 m M16X1.5-M16X1.5 |
| 81.96340-0986 | Spiral hose, 4 m M18X1.5-M18X1.5 |
| 81.25411-6061 | Spiral cable, 7-pin, DIN 7638 (EBS) |
| 81.25411-6062 | Spiral cable, 15-pin, DIN 12098 |
| 81.25411-6063 | Spiral cable, 7-pin, DIN 3731, Type S |
| 81.25411-6064 | Spiral cable, 7-pin, DIN 1185, Type N |
| 81.25411-6066 | Spiral cable, 15-pin, DIN 12098 to 2x7-pin (DIN1185/DIN3731) |
| 81.25432-6201 | Socket with cable, 7-pin, 24 V 1,200 mm/DIN 1185 Type N |
| 81.25432-6202 | Socket with cable, 7-pin, 24 V 1,200 mm/DIN 3731 Type S |
| 81.25432-6214 | Socket with cable, 13-pin, 24 V 1,200 mm |
| 81.25432-6215 | Socket with cable, 13-pin, 24 V 2,500 mm |
| 81.25432-6212 | Socket with cable, 15-pin, 24 V 1,200 mm/DIN 12098 |
| 88.25432-6034 | Adapter socket, 15-pin DIN 12098 to 2x7-pin (DIN1185/DIN3731) |
| 81.25432-6199 | Socket with cable, 7-pin, 24 V 600mm/ DIN 1185 Type N |
| 81.25432-6200 | Socket with cable, 7-pin, 24 V 600mm/ DIN 3731 Type S |

Suitable for

All MAN vehicles

All vehicles with corresponding device

SAFETY



Protective cage for tail lights

In order to provide all-round protection for your vehicle, we offer you a protective cage for the tail lights. Especially convenient thanks to a folding function that makes it easier to change bulbs.

! Note

For this product, please observe the applicable road traffic regulations of your country. In most European countries this product is not approved for use on public roads, which means it can only be used on private land, such as for on-site traffic at a gravel quarry, for example.



| Item number | Designation | Suitable for |
|---------------|---|--------------|
| 81.25209-6008 | Protective cage assembly (two units required) | TGM, TGS |

Protective cover over tail lights

Sheet steel cover as a protective cover above the 7-cell tail lights on the left and right.

! Note

For this product, please observe the applicable road traffic regulations of your country. In most European countries this product is not approved for use on public roads, which means it can only be used on private land, such as for on-site traffic at a gravel quarry, for example.



| Item number | Designation | Suitable for |
|---------------|-------------------------|--------------|
| 81.42940-0321 | Protective cover, left | TGS, TGX |
| 81.42940-0322 | Protective cover, right | |

SAFETY



Protective guard, headlight (for vehicles up to MY 2019)

The removable steel grilles (coarsely meshed as basic version and finely meshed as an attachment for off-road/construction site deployment) protect the headlights from stone chips and damage.

! Note

- Only for vehicles with steel bumper!
- The coarsely meshed basic variant is EU-compliant.
- The optionally available attachment with fine mesh must be used only for off-road applications.



| Item number | Designation | Suitable for | |
|---------------|--------------------------------------|---|--|
| 81.41630-5053 | Protective guard, left | TGL and TGM up to MY 2019 with steel bumper with headlight cleaning system | |
| 81.41630-5052 | Protective guard, right | | |
| 81.41630-5055 | Attachment, fine mesh, left | | |
| 81.41630-5054 | Attachment, fine mesh, right | | |
| 06.07213-3309 | Lens head screw (16x) | | |
| 81.41630-0010 | Fastener, outer (8x) | | |
| 81.41630-0011 | Fastener, inner (8x) | | |
| 81.41630-0014 | Clip (8x) | | |
| 81.41630-5051 | Protective guard, left | | TGS and TGX up to MY 2019 with steel bumper with headlight cleaning system |
| 81.41630-5050 | Protective guard, right | | |
| 81.41630-5057 | Attachment, fine mesh, left | | |
| 81.41630-5056 | Attachment, fine mesh, right | | |
| 06.07213-3309 | Lens head screw (16x) | | |
| 81.41630-0010 | Fastener, outer (8x) | | |
| 81.41630-0011 | Fastener, inner (8x) | | |
| 81.41630-0014 | Clip (8x) | TGL and TGM up to MY 2019 with steel bumper without headlight cleaning system | |
| 81.41630-5049 | Protective guard, left or right (2x) | | |
| 81.25140-0096 | Mounting bracket (8x) | | |
| 06.07219-0010 | Oval-head countersunk screw (16x) | | |
| 06.11064-2111 | Hex nut (16x) | | |
| 81.41630-5047 | Protective guard, left or right (2x) | TGS and TGX up to MY 2019 with steel bumper without headlight cleaning system | |
| 81.25140-0096 | Mounting bracket (8x) | | |
| 06.04300-3611 | Oval-head countersunk screw (16x) | | |
| 06.11064-2111 | Hex nut (16x) | | |

SAFETY



Protective guard, headlight (for vehicles from MY 2020)

The removable steel grilles (coarsely meshed as basic version and finely meshed as an attachment for off-road/construction site deployment) protect the headlights from stone chips and damage.

! Note

- Only for vehicles with steel bumper!
- The coarsely meshed basic variant is EU-compliant.
- The optionally available attachment with fine mesh must be used only for off-road applications.




| Item number | Designation | Suitable for |
|---------------|---|--|
| 81.41630-5063 | Protective guard, main headlight, left | TGL and TGM from MY 2020 with steel bumper |
| 81.41630-5065 | Attachment, fine mesh, main headlight, left | |
| 81.41630-5062 | Protective guard, main headlight, right | |
| 81.41630-5064 | Attachment, fine mesh, main headlight, right | |
| 06.07219-0010 | Grooved oval head screw (8x) | |
| 81.41630-0010 | Fastener, outer (8x) | |
| 81.41630-0015 | Fastener, inner (8x) | TGS and TGX from MY 2020 with steel bumper |
| 81.41630-5059 | Protective guard, main headlight, left | |
| 81.41630-5067 | Protective guard, auxiliary headlight, left | |
| 81.41630-5061 | Attachment, fine mesh, main headlight, left | |
| 81.41630-5069 | Attachment, fine mesh, auxiliary headlight, left | |
| 81.41630-5058 | Protective guard, main headlight, right | |
| 81.41630-5066 | Protective guard, auxiliary headlight, right | |
| 81.41630-5060 | Attachment, fine mesh, main headlight, right | |
| 81.41630-5068 | Attachment, fine mesh, auxiliary headlight, right | |
| 06.07219-0010 | Lens head screw (28x) | |
| 81.41630-0010 | Fastener, outer (12x) | |
| 81.41630-0015 | Fastener, inner (12x) | |
| 81.41630-0016 | Fastener, inner (4x) | |

SAFETY



Protective guard for rear wall window



Protects the rear wall window against damage, perfect fit due to development with the vehicle.

| Item number | Designation | Suitable for |
|---------------|---------------------------------------|--|
| 81.62751-5014 | Protective guard for rear wall window | TGL, TGM and TGS with rear wall window |

Further information

An overview of additional assembly parts can be found in the following table.

| Item number | Designation | Suitable for |
|---------------|--|--|
| 06.13169-0031 | Blind rivet nut (six units required) | TGL, TGM and TGS with rear wall window |
| 06.02254-2105 | Cheese-head screw (six units required) | |

SAFETY

Mud flap



Mud flap TG series

The mud flaps on the rear axle mudguards form part of the splash guard system and with their branding make a clear statement for proud MAN drivers.

The mud flaps, which are made from a flexible plastic material, make the mudguards longer at the back. They improve visibility for drivers and road users behind when the roads are wet and significantly reduce the amount of splashing water and spray mist.

1



Properties

Colour: black with white MAN logo

Surface: Smooth

Material: Plastic

| Item number | Designation | Suitable for |
|---------------|---|--------------|
| 81.66410-0573 | Mud flap with MAN logo 684 mm x 124 mm | TG series |
| 81.66410-0574 | Mud flap with MAN logo 684 mm x 217 mm | |
| 81.66410-0575 | Mud flap with MAN logo 684 mm x 310 mm | |
| 81.66410-0576 | Mud flap with MAN logo 684 mm x 376 mm | |

SAFETY



Mud flap

2

Mud flap TGE

Tough and durable: MAN Genuine mud flaps effectively protect the underbody, bumper, side skirts and doors against heavy soiling and hazardous stone damage. Spray water dispersion is also greatly reduced.



Image shows 65.66440-6002

| Item number | Designation | Suitable for |
|---------------|---|--------------|
| 65.61210-6000 | Mud flap, front | TGE |
| 65.66440-6000 | Set of mud flaps, rear, panel combi, front-wheel drive | |
| 65.66440-6001 | Set of mud flaps, rear, panel, rear-wheel drive, twin tyres | |
| 65.66440-6002 | Set of mud flaps, rear, panel combi, all-wheel drive and rear-wheel drive, single tyres | |
| 65.66440-6003 | Mud flap, rear, platform body, single tyres | |
| 65.66440-6004 | Mud flap, rear, platform body, twin tyres | |

Note

Please also take the following table into consideration. The item numbers are listed again here depending on the chassis and drive type:

| Chassis | Front All drivetrains | | Rear Drivetrain (PR code) | | |
|------------------|--------------------------|----------------------------|--------------------------------------|--------------------------------|----------------------------------|
| | Item number | Front (1X0) Item number | All-wheel drive (1x1) Item number | Rear Twin (1x2) Item number | Rear Single (1x4) Item number |
| Panel (K4A) | 65.61210-6000 | 65.66440-6000 | 65.66440-6002 | 65.66440-6001 | 65.66440-6002 |
| Combi (K4B) | 65.61210-6000 | 65.66440-6000 | 65.66440-6002 | – | 65.66440-6002 |
| Single cab (K4F) | 65.61210-6000 | 65.66440-6003 | 65.66440-6003 | 65.66440-6004 | 65.66440-6003 |
| Crew cab (K4G) | 65.61210-6000 | 65.66440-6003 | 65.66440-6003 | 65.66440-6004 | 65.66440-6003 |

SAFETY

Grab handles TGE



The vertical grab handle facilitates ergonomic access to the cargo compartment/passenger area.



! Note

Additional parts such as screws are required for installation

| Item number | Designation | Suitable for |
|---------------|----------------------|--------------|
| 65.62540-0018 | D-pillar grab handle | TGE |
| 65.62540-0019 | B-pillar grab handle | |

Underride protection TGE

The rear and side underride protection reduces the risk of other road users ending up under the vehicle in the event of a rear-end collision. The underride protection consists of a sturdy tubular steel frame.



! Note

Additional parts such as screws and brackets are required for installation. Depending on the vehicle requirements, the side underride protection will need to be shortened.

| Item number | Designation | Suitable for |
|---------------|---|--|
| 65.41660-5013 | Underride protection, rear, rally black | TGE, vehicles without operation with trailer |
| 65.41660-5014 | Underride protection, rear, rally black | TGE, vehicles with operation with trailer |
| 65.41670-6001 | Side underride protection | TGE |
| 65.41670-6000 | Side underride protection | |

SAFETY



Adhesive labels and signs

Pay particular attention to special vehicle applications. Adhesive labels, warning signs and information labels appropriate for all vehicles with the appropriate permit.



| Item number | Designation | Suitable for |
|---------------|---|--|
| 81.97812-2109 | Red/white adhesive foil warning stripe, 282 mm x 282 mm | TGX, TGS, TGM, TGL, TGA |
| 81.97812-2111 | Red/white adhesive foil warning stripe, 141 mm x 282 mm, pointing left | TGX, TGS, TGM, TGL, TGA und Lions City |
| 81.97812-2112 | Red/white adhesive foil warning stripe, 141 mm x 282 mm, pointing right | TGX, TGS, TGM, TGL, TGA |



| Item number | Designation | Suitable for |
|---------------|--|---------------|
| 81.97812-2488 | Adhesive label L, diameter 150 mm, "Austrian low-noise truck" transport tag | All TG series |
| 81.97801-2609 | Adhesive label U, diameter 220 mm, environmentally friendly, combines "L" and "S" regulation according to ECMT (European Conference of Ministers of Transport) | |
| 88.97802-2213 | Adhesive label G, diameter 220 mm, tag for German low-noise truck according to Section 49 Para. 3 of German Road Traffic Licensing Regulations | |
| 81.66907-0013 | ADR dangerous goods plate, fold-up sign, 400 mm x 300 mm | |
| 81.66907-0015 | ADR dangerous goods plate, fold-up sign, 400 mm x 300 mm | |



SAFETY

Reflective film

Reflectors on trailers are of great importance for road safety. They improve the visibility of the trailer, particularly in poor light conditions such as at night or in fog.

! Note

The use of reflectors on trailers is a legal requirement in many countries.



| Item number | Designation | Suitable for |
|---------------|---|------------------|
| 04.33138-9068 | Reflective film UN/ECE104, white, 55 mm x 50 m | All MAN vehicles |
| 04.33138-9069 | Reflective film UN/ECE104, yellow, 55 mm x 50 m | |
| 04.33138-9076 | Reflective film UN/ECE104, red, 53,5 mm x 50 m | |

Protective screens

Comprehensive protective measures are a must! Meet your responsibilities and master the current challenges in the best possible way: with MAN Genuine protective screens made from certified MAN Genuine single-pane safety glass. Fitted in next to no time by competent MAN Service staff, they eliminate hazards – as required by testing authorities! MAN Genuine protective devices meet all technical requirements with regard to components and design.

A convenient cutout makes it easy for the driver to collect fares, issue tickets and change, and check tickets.

Properties

| |
|---|
| Permitted as a permanent fixture in the vehicle |
| Comply with the latest standards and safety regulations |
| Stylish design, no glare |

! Note

You can use the variant list in the MAN Service Portal to easily check which variant is suitable for your vehicle. Ask your MAN service outlet for detailed information. Fitting by an MAN service outlet is recommended.



Available for Lion's City (from MY 2018, 12C/18C/19C) and in four variants for most MAN city buses (up to MY 2018, A2X, A3X and A7X)

INFOTAINMENT





Better informed, arrive safely.

Optimal safety, reliable navigation, on-time goods delivery and extensive communication possibilities are a must for professional truckers.

No matter where you need to go: state-of-the-art technology from MAN ensures you get there comfortably and safely.




INFOTAINMENT



Tablet holder

Keep an overview of your orders. Whether you're checking e-mails or viewing driving jobs: The MAN Genuine tablet holder means you'll always have your hands free and your information always in view on the instrument panel.



Properties

The tablet holder consists of a vehicle specific base support and the tablet device holder

Variable adjustment, rotatable by 360°

Suitable for tablets with a height of 120 to 220 mm

No restriction of the legally required viewing areas

Mounted without drilling

With template for cutting the rubber mat in the cup holder

! Note

- The mounted end device must not cover any buttons and displays of the vehicle.
- Not for vehicles with centre seat (without cup holder).
- Not suitable for off-road use.
- Never use the tablet while driving!

| Item number | Designation | Suitable for |
|---------------|-------------------------------|---|
| K3.61701-6000 | TGX LL base support | TGX left-hand drive from MY 2020 (with double cup holder) |
| K3.61701-6001 | TGX RL base support | TGX right-hand drive from MY 2020 (with double cup holder) |
| K3.61701-6002 | TGL, TGM, TGS LL base support | TGL/TGM/TGS left-hand drive from MY 2020 (with single cup holder) |
| K3.61701-6003 | TGL, TGM, TGS RL base support | TGL/TGM/TGS right-hand drive from MY 2020 (with single cup holder) |
| K3.61701-6004 | Tablet holder equipment mount | MAN Genuine tablet holder base support |

INFOTAINMENT

CB radio sets



Our CB radio sets are equipped with state-of-the-art technology and impress with very easy fitting and operation. The VOX hands-free function of our radio sets allows communication in the vehicle without having to pick up the microphone. The radio detects when the driver is speaking and automatically starts transmission. As a result, our CB radio sets can be used in vehicles without problems in accordance with numerous international road traffic regulations. Our CB radio sets are approved for Europe-wide use.

! Note

All parts required for fitting are included. **Adapter cable 33.28104-6085 is also required for fitting CB radio sets in vehicles from model year 2020.**

MAN 3008 VOX

For use in:

AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HR, HU, IE, IS, IT, LI, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM and UK
(CB country list November 2019)



1

Properties

| | |
|--|---|
| Vox hands-free function | Display: Channel and frequency setting |
| Wide-angle LCD display panel | Rotary channel knob |
| AM/FM selection | Electret microphone |
| 38 CTCSS codes | Flash EEPROM memory |
| Six-pin microphone jack on front panel | Two colours for display illumination |
| Five channel memories | Dimmable display illumination |
| SCAN functions for all channels | Front speaker |
| Channel 9/19 direct button | Dimensions: 188 (W) x 57 (H) x 131 (D) mm |
| Switchable key beeps and Roger beep | Weight: 1.9 kg |
| ASQ or normal SQ selectable | Scope of delivery with DIN installation frame, microphone |

! Further information

Assembly instructions and Operator's Manual are available for you on the ► [MAN Service Portal](#).

| Item number | Designation | Suitable for |
|---------------|--|--------------------|
| K3.28215-6001 | CB radio set 3008 VOX | TGL, TGM, TGS, TGX |
| K3.28201-6001 | Handheld microphone 3008 VOX | |
| K3.28240-6004 | DIN installation frame 3008 VOX | |
| K3.28205-0001 | FME antenna adapter 3008 VOX | |
| K3.28240-6005 | Microphone holder incl. screws 3008 VOX | |

INFOTAINMENT



CB radio sets

2

MAN XM 3006e

For use in:

AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HR, HU, IE, IS, IT, LI, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM and UK
(CB country list November 2019)



Properties

| | |
|--|--|
| 12/24 V operation without switchover | F-button for switching frequency tables |
| Automatic Squelch Control (ASC) | Mode button AM/FM |
| Switchable frequency tables EU, PL, d, EC, U, In | Six-pin microphone jack |
| VOX function for voice-controlled transmission | Jack for external loudspeaker (3.5 mm) |
| Continuously adjustable VOX gain | Jack for external VOX microphone (2.5 mm) |
| Automatic noise limiter (ANL) | High-quality UP/DOWN microphone (electret) |
| Freely programmable Emergency button | USB charging port (5 V/2.1 A) |
| Multifunction LCD | Slide-in bracket weight: 84 g |
| TOT Time-Out-Timer (transmit time limitation) | Weight XM 3006e: 800 g |
| Key Beep and Roger Beep | Dimensions including slide-in bracket: 180 x 50 mm (ISO 7736) DIN slot |

! Further information

Assembly instructions and Operator's Manual are available for you on the ► [MAN Service Portal](#).

| Item number | Designation | Suitable for |
|---------------|--|--------------------|
| K3.28215-6000 | CB radio set XM 3006e | TGL, TGM, TGS, TGX |
| K3.28201-6000 | Handheld microphone XM 3006e | |
| K3.28240-6002 | DIN installation frame XM 3006e | |
| K3.28205-0000 | FME antenna adapter XM 3006e | |
| K3.28240-6003 | Microphone holder incl. screws XM 3006e | |



LESS FRICTION, MORE EFFICIENCY.



MAN Genuine Oil.

MAN Genuine Oil is the ideal complement for the core elements of an MAN vehicle: engine, gearbox and driven axles. In conjunction with perfectly harmonised components, MAN Genuine Oils provide proven protection from wear. In this way, they can help significantly extend the life cycle and reduce operating costs. Less wear, greater efficiency. With MAN Genuine Oil. Available now at your MAN service centre.



INFOTAINMENT



Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

The radio is increasingly taking on the function of a central multimedia interface in the vehicle. A new generation of MAN infotainment devices has been available since model year 2017 in order to meet the wishes of vehicle crews for flexible media selection, for example.



Alongside these radio devices with their five- and seven-inch colour displays, there is a large range of expansion options to choose from.



! Available additional functions

| | MMT Starter without DAB | MMT Starter with DAB | MMT Advanced |
|--|-------------------------|----------------------|--------------|
| 1 Operation via multifunction steering wheel | ■ | ■ | ■ |
| 2 Audio streaming via Bluetooth interface | ■ | ■ | ■ |
| 3 USB port and AUX-IN connection in the instrument panel | ■ | ■ | ■ |
| 4 Hands-free Starter | ■ | ■ | - |
| 5 Hands-free Advanced | - | - | ■ |
| 6 Video function via USB/SD | - | - | ■ |
| 7 Camera preparation | - | - | ■ |
| 8 Voice control | - | - | ■ |
| 9 MAN SmartLink | - | - | ■ |
| 10 Navigation functionality | - | - | ■ |
| Digital radio reception DAB+ | - | ■ | ■ |

1

Operation via multifunction steering wheel

The function enables the operation of telephony, radio and voice dialogue system by means of the multifunction steering wheel:

- Making/accepting/rejecting phone calls
- Changing audio sources
- Selecting station list/media tracks
- Activating/deactivating optional voice control

Significant increase in driving safety as all functions can be operated without removing hands from the steering wheel.



! Note

The multifunction steering wheel (MFL) is a prerequisite.

| Item number | Designation | Suitable for |
|---------------|----------------------|---|
| 81.25890-7677 | MAN Genuine Software | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.25890-7676 | MAN Genuine Software | |

INFOTAINMENT

Radio MMT_2 Advanced additional functions

(for vehicles from MY 2017 to MY 2019)

Audio streaming via Bluetooth interface

Bluetooth connection via MMT user interface and/or multifunction steering wheel.

- Convenient option of playing audio files from a mobile phone via an active Bluetooth connection using MMT.
- All the advantages of the high-quality loudspeaker system matched to the cab can then be utilised. No additional equipment/adaptor cables are needed.
- Once the initial pairing (mobile phone – MMT) has been carried out, the devices are automatically connected at every new start whenever the Bluetooth function is active.



| Item number | Designation | Suitable for |
|---------------|----------------------|---|
| 81.25890-7886 | MAN Genuine Software | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |

USB port/AUX-IN connection in the instrument panel

A USB port/AUX-IN connection is integrated in the right edge of the centre console stowage compartment. The corresponding cutout ensures the optimal fit.

- USB charging function (e.g. for mobile phones via USB connecting cable)
- Connection for external audio sources (e.g. MP3 player or mobile phone) Control via MMT possible for USB port.
- The advantages of the high-quality loudspeaker system matched to the cab can be utilised.
- Information (e.g. track, artist, album) of each audio track is shown on the MMT display.
- Space for the left cup holder remains free.



| Item number | Designation | Suitable for |
|---------------|--|---|
| 81.25432-0543 | USB port and AUX-IN | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.25460-5032 | Cable harness, cab AUX-IN, left-hand and right-hand-drive vehicles | |
| 81.28104-6061 | HSD connecting cable, left-hand-drive vehicle | |
| 81.28104-6062 | HSD connecting cable, right-hand-drive vehicle | |
| 81.25890-7888 | MAN Genuine Software | |

INFOTAINMENT



Radio MMT_2 Advanced additional functions

(for vehicles from MY 2017 to MY 2019)

4

Hands-free Bluetooth functionality Basic (one mobile phone)

Allows legally compliant use of mobile devices while driving. Connection of one mobile phone to MMT via Bluetooth

- Phone calls can be made conveniently and in perfect voice quality using the integrated Bluetooth hands-free system in the vehicle.
- A total of up to ten phones can be paired and thus automatically connected upon detection.
- Access to telephone data such as phonebook, call lists, text messages and functions (making calls, reading text messages, etc.) via MMT.



Note

The microphone cover must be replaced by a microphone. Connecting cables must be present in the vehicle for this purpose, with exceptions in the production period 08/2016 - 02/2017 and for selected vehicle types, depending on their design. If connecting cables are not available, retrofit the item numbers below.

| Item number | Designation | Suitable for |
|---------------|------------------------------------|---|
| 81.25890-7883 | MAN Genuine Software | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.25890-7676 | MAN Genuine Software | |
| 81.28201-0047 | Microphone | |
| 81.25459-5704 | Connecting cable MMT_2 to A-pillar | |
| 81.25459-5550 | Connecting cable A-pillar to roof | |

INFOTAINMENT

Radio MMT_2 Advanced additional functions

(for vehicles from MY 2017 to MY 2019)

Hands-free Bluetooth functionality Comfort (two mobile phones)

Allows legally compliant use of mobile devices while driving. Two mobile phones can be connected simultaneously via Bluetooth.

- Option of pairing two mobile phones with MMT at the same time. This makes it possible, among other things, to use a business and a private mobile phone at the same time.
- Phone calls can be made conveniently and in perfect voice quality using the integrated Bluetooth hands-free system in the vehicle.
- A total of up to ten phones can be paired and thus automatically connected upon detection.
- Access to telephone data such as phonebook, call lists, text messages and functions (making calls, reading text messages, etc.) via MMT.



! Note

The microphone cover must be replaced by a microphone. Connecting cables must be present in the vehicle for this purpose, with exceptions in the production period 08/2016 – 02/2017 and for selected vehicle types, depending on their design. If connecting cables are not available, retrofit the item numbers below.

| Item number | Designation | Suitable for |
|---------------|------------------------------------|---|
| 81.25890-7882 | MAN Genuine Software | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.25890-7676 | MAN Genuine Software | |
| 81.28201-0047 | Microphone | |
| 81.25459-5704 | Connecting cable MMT_2 to A-pillar | |
| 81.25459-5550 | Connecting cable A-pillar to roof | |

INFOTAINMENT



Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

6

- Connection of a storage medium via the USB port or SD card slot
- Decoding of all common video formats
- Control of video playback via MMT and/or the multifunction steering wheel
- Video output on the MMT seven-inch colour display
- Sound output on the vehicle's loudspeaker system
- Video function is available only when the vehicle is stationary.
- The advantages of the integrated display and high-quality speaker equipment (including the optional sound system) tailored to the driver's cab can be exploited.



Note

Prerequisite: USB port/AUX-IN connection

| Item number | Designation | Suitable for |
|---------------|----------------------|---|
| 81.25890-7880 | MAN Genuine Software | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |

INFOTAINMENT

Radio MMT_2 Advanced additional functions

(for vehicles from MY 2017 to MY 2019)



7

Camera preparation

- Preparation for connecting one or two cameras
- The image from the camera is shown on the MAN Media Truck Advanced seven-inch colour display.
- Depending on the variant, activation of camera and switchover between the cameras takes place either automatically, for example when reverse gear is engaged, and/or manually, directly on the radio.
- Enhanced safety and damage prevention when reversing/manoeuvring thanks to the display of the area behind the vehicle. Automatic switchover when reverse gear is engaged provides additional comfort and relieves the driver's workload.



| Item number | Designation | Suitable for |
|---------------------|---|---|
| One camera: | | |
| 81.28104-6063 | HSD cable, camera, left-hand-drive vehicle | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.28104-6064 | HSD cable, camera, right-hand-drive vehicle | |
| Two cameras: | | |
| 81.28104-6065 | HSD cable, camera, left-hand-drive vehicle | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.28104-6066 | HSD cable, camera, right-hand-drive vehicle | |

MAN Genuine Software

Please also select the appropriate variant:

| Item number | Designation | Suitable for |
|---------------------|---|---|
| One camera: | | |
| 81.25890-7876 | Camera activation via analogue video input (one camera) | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.25890-7878 | Camera activation with rear-view camera (activation via reverse gear) | |
| Two cameras: | | |
| 81.25890-7877 | Camera activation via analogue video input (two cameras) | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.25890-7879 | Camera activation with rear-view camera (activation via reverse gear) and additional camera (activation via button) | |

INFOTAINMENT

Radio MMT_2 Advanced additional functions

(for vehicles from MY 2017 to MY 2019)

8

Voice control

This convenience function enables various functions of the new MMT to be operated by voice input.

- Input of navigation destination using one-shot voice control
- Dialling phone book contacts
- Accepting/making calls
- Simple and fast activation of the voice control function using the multifunction steering wheel.

The driver's attention remains on the road, since there are practically no distractions caused by the driver having to look away.



! Note

The multifunction steering wheel (MFL) and a microphone are prerequisites.

| Item number | Designation |
|---------------|----------------------|
| 81.25890-7881 | MAN Genuine Software |

Suitable for

TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019

9

SmartLink

MAN SmartLink allows the available apps on a smartphone/tablet to be used/operated via MMT Advanced built into the vehicle.

- After successful connection, the apps supported by MAN SmartLink can be operated both by touching the MMT display and by pressing the buttons on the multifunction steering wheel.
- Apps shown on the high-resolution, easy-to-read seven-inch display
- Android and iOS operating systems are supported.



! Note

Only for vehicles with instrumentation software version (at least R38) and MMT software version (at least R57). The multifunction steering wheel (MFL) and a USB port/AUX-IN connection are also required.

| Item number | Designation |
|---------------|----------------------|
| 81.25890-7880 | MAN Genuine Software |

Suitable for

TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019

INFOTAINMENT

Radio MMT_2 Advanced additional functions

(for vehicles from MY 2017 to MY 2019)



10

Navigation

Truck-specific satellite navigation possible depending on deployment of vehicle. Including map material for one region and annual update of the map material (plus labour costs) up to 2025.



! Note

As prerequisite, a GPS antenna must be present. Please enquire about our 3G/GPS combined adhesive antenna or LTE/GNSS combined adhesive antenna.

→ Further information

Navigation micro SD cards for Radio MAN Media Truck MMT_2

The map material for the navigation is available to download via the MAN-cats III system. Further information can be found in a quick guide under Technical Information in MAN-cats.

We recommend that you download the latest versions of the available maps and save them locally (e.g. on your laptop) so that they are available at short notice if required. You will be notified of new map versions via "MAN-cats III Release Notes".

The automotive SD card in MAN design for storing the map material can be ordered with the following MAN item number:

| Item number | Designation | Suitable for |
|---------------|--------------------------|---|
| 07.98703-1008 | Navigation SD card 32 GB | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |

MAN Genuine Software

Navigation SD card – software packages for regional activation:

| Item number | Designation | Suitable for |
|---------------|--|---|
| 81.25890-7868 | MMT_2 storage medium with navigation map Europe | TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019 |
| 81.25890-7871 | MMT_2 storage medium with navigation map Oceania | |
| 81.25890-7870 | MMT_2 storage medium with navigation map Middle East | |
| 81.25890-7869 | MMT_2 storage medium with navigation map South America | |

INFOTAINMENT



Radio MMT_3 Advanced additional functions

(for vehicles from MY 2020)

For the latest generation of MMT from model year 2020, customers can also optionally receive available additional functions according to their needs and requirements. The range will be gradually expanded in the future.

Camera preparation

- Preparation for connecting one or two cameras
- The image of the camera is shown on the MAN Media Truck Advanced seven-inch colour display.
- Depending on the variant, activation of camera and switchover between the cameras takes place either automatically, for example when reverse gear is engaged, and/or manually, directly on the radio.
- Enhanced safety and damage prevention when reversing/manoeuvring thanks to the display of the area behind the vehicle. Automatic switchover when reverse gear is engaged provides additional comfort and relieves the driver's workload.



! Note

Vehicle SW version 4.2. is a prerequisite for activation via pin. Camera activation on the MMT3 for the CAM1 input takes place at CVM2 pin B/9. Activation via button requires a camera switchover button. If no camera switchover button is present it must be retrofitted. Further information can be obtained from your MAN service outlet or the MAN Service Portal. The camera(s) are connected as per the MANTED® guideline (MAN technical data and Guide to Fitting Bodies).

| HSD cables | | |
|---------------|--|--|
| Item numbers | Designation | Suitable for |
| 81.25449-5041 | HSD cable, two cameras in central electrical system (2x 1 m) | TGL, TGM, TGS and TGX models with MMT_3 from MY 2020 |
| 81.25449-5061 | HSD cable, one camera in central electrical system (1x 1 m) | TGL, TGM, TGS and TGX models with MMT_3 from MY 2020 |

| Camera keyboard | | |
|-----------------|-----------------------------|-----------------------------------|
| Item number | Designation | Suitable for |
| 81.25449-5090 | Cable set for camera button | MMT_3 Advanced Basic from MY 2020 |
| 81.25503-6977 | Camera button | MMT_3 Advanced Basic from MY 2020 |

MAN Genuine Software

Please also select the appropriate variant:

| Item number | Designation | Suitable for |
|---------------------|---|--|
| One camera: | | |
| 81.25891-0365 | Camera activation via button or pin | TGL, TGM, TGS and TGX models with MMT_3 from MY 2020 |
| 81.25891-0367 | Camera activation via reverse gear | |
| Two cameras: | | |
| 81.25891-0364 | Camera activation CAM1 (activation via button or pin), CAM2 (activation via reverse gear) | TGL, TGM, TGS and TGX models with MMT_3 from MY 2020 |
| 81.25891-0366 | Camera activation CAM1 (activation via button or pin), CAM2 (activation via button) | |

INFOTAINMENT

Television, 24" with assembly kit



At rest areas, the nights can be long and often boring. The MAN Genuine Smart-TV provides entertainment. Enjoy your rest periods in the vehicle with first-class HD films – either via the DVB-T antenna or the triple tuner for digital TV reception as well as via the flexible Internet connection via WLAN and LAN interface. The Smart TV offers an integrated Internet browser, pre-installed apps and access to numerous media portals. This is pure relaxation.



Properties

24-inch TV with HD quality in a modern design

Integrated Android 11.0 operating system

WLAN and LAN interface, a flexible Internet connection

Quick access to media libraries / video portals and streaming services

Netflix, YouTube, Disney+, Prime Video through internet browsers and pre-installed apps, among others

Vibration-proof, specially developed for use in the vehicle

DVB-T2 antenna and triple tuner for digital TV reception, also in other European countries

First-class sound thanks to 2 x 5 watt stereo speakers and additional headphone output

Bluetooth interface for wireless audio playback on the MAN Media Truck (MMT)

Pre-programmed channel list for immediate readiness for use

Very wide viewing angle: 178° horizontally and vertically

Energy-saving in operation (17 W) and standby (< 0.5 W)

Power supply: AC 110-240 volts or DC 12/24 volts

Note

Ask your MAN service outlet for detailed information and the parts required for assembly. Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|----------------------|------------------|
| U1.28210-6046 | Television, 24-inch* | TGX from MY 2020 |

*The item number does not contain any assembly parts. These must be ordered separately.

INFOTAINMENT



Bluetooth mobile communications adapter

The Bluetooth adapter is inserted instead of the charging tray. This enables considerably more mobile phone types to be connected with the mobile phone preparation in the vehicle via the Bluetooth interface.



Properties

For the electrical preparation for mobile phone 350TI or 350TT

➔ Further information

Use the compatibility list in the ► [MAN Service Portal](#) to check whether your mobile phone is compatible with the code 350TO and with the codes 350TI, 350TT extended to Bluetooth.

| Item number | Designation | Suitable for |
|---------------|---|--|
| 81.28215-0134 | Bluetooth mobile communications adapter | TGL and TGM Euro 5; TGS and TGX until end of MY 2009 |

ISO DIN shaft

For mounting an additional ISO DIN device (e.g. radio, tachograph, CB radio set, etc.) in the front upper luggage rack if the existing ISO DIN slots are not sufficient.



| Item number | Designation | Suitable for |
|---------------|---|------------------------|
| 81.63903-0438 | ISO DIN shaft | TGL and TGM with C cab |
| 81.63903-0439 | Base frame | |
| 06.07213-2310 | Lens head screw (two units required) | |
| 06.07219-0064 | Cheese-head screw (four units required) | |

INFOTAINMENT



3G/GPS combi-bonding-antenna

Universal receiving antenna for GPS satellite signals for use in, for example, telematics fleet management systems, navigation systems, traffic guidance systems or vehicle positioning systems if no roof antenna is fitted. In combination with flat cellular telephone antenna.

Properties

Dimensions: 100 mm x 66 mm x 21 mm

Cable length: 3,000 mm

Connection

GPS: FAKRA female, Code C

CELLULAR: FAKRA female, Code D



Item number

U1.28205-6003

Designation

3G/GPS combi-bonding-antenna

Suitable for

TGL, TGM, TGS and TGX up to MY 2019

LTE/GNSS combi-bonding-antenna

Universal self-adhesive combined antenna for use with the 2G (GSM), 3G (UMTS/HSPA+) and 4G (LTE) mobile phone standards, as well as GPS, Galileo and Glonass GNSS position satellite systems. This antenna has been optimised and tested for operation with the RIO Box (TBM3).

Properties

Dimensions: 202 mm x 25 mm x 12.5 mm

Cable length: 4,000 mm

Weight: 120 g

Resistance: 10 k Ω

Connection

GPS: FAKRA female, Code C

CELLULAR: FAKRA female, Code D



The antenna can also be used for compatible telematics applications such as telematics fleet management systems, navigation systems, traffic management systems and vehicle positioning applications if a corresponding roof antenna has not been or cannot be fitted. Its flexible design makes this antenna suitable for fitting on the windscreen.

Item number

U1.28205-6018

Designation

LTE/GNSS combi-bonding-antenna

Suitable for

TGL, TGM, TGS and TGX up to MY 2019

STYLE





Even more individual and genuine.

You want to add style to your truck's exterior? This is now possible with our products for enhancing style. We offer additional lamps, lights, interior equipment options and other stylish and useful products so that you can customise the look of your truck.



STYLE



LED door projector



A special highlight: with MAN Genuine LED door projectors, boarding and alighting become unique experiences. When the door is opened, the MAN Lion or optionally the MAN logo is automatically projected onto the road in outstanding quality. Thanks to their simple plug & play installation, MAN Genuine door projectors can be fitted in any truck with integrated entry lighting within minutes.

Properties

24 V/2 W

The set includes two projections (MAN Lion and MAN logo).

Note

In all truck models from model year 2020 onwards, fitting the projector requires only mechanical measures.

| Item number | Designation | Suitable for |
|---------------|------------------------|--|
| U1.25203-0000 | LED door projector set | TGL, TGM, TGS and TGX where door entry lighting is already fitted. |

STYLE



Door handle cover with MAN lion

The tailor-made door handle covers made of high-quality stainless steel delight you with every use. The engraved MAN lion is an absolute eye-catcher on the stainless steel polished to a high gloss. Ideal in combination with other products for visual customization.



Properties

One set contains two units

High-quality stainless steel with double-sided adhesive tape

| Item number | Designation | Suitable for |
|---------------|-----------------------|------------------|
| K3.62641-6000 | Door handle cover set | TG up to MY 2019 |
| K3.62641-6001 | Door handle cover set | TG up to MY 2020 |



STYLE



Exterior styling package

Inspire yourself and others – every day and on every trip. The MAN Genuine exterior styling package offers you a wide range of options for styling and refining the exterior look of your truck.

An exclusive design:

- Strengthens the external perception of your company
- Creates visible added value and fills drivers and hauliers with pride
- Shows a high level of appreciation to the driver, who will repay this with performance

Drive an MAN that is unmistakably yours.

All scopes are part of the MAN basic homologation, EC Approval (CoC). Please note national admission requirements!

1

Roof light bar

MAN Genuine roof light bars are made to fit the shape of your cab and can be fitted with four additional lights or 2 LED lightbars, depending on the model. With an individual look, they provide better illumination of the road and the work area in front of the vehicle.



LED main beam headlight (lightbar) single-row



LED main beam headlight (round)



LED main beam headlight (square)

Properties

Light bar made of stainless steel

70 mm diameter

Includes wiring and retaining device for four lights

LED main beam headlights available as lightbars or in round or square form

! Note

Further information on the item numbers suitable for your model can be obtained from your MAN service outlet. Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|--|---|
| U1.62980-6015 | Roof light bar made of polished stainless steel* | TGX GM (XLX) |
| U1.62980-6014 | | TGX GX from MY 2020 |
| U1.62980-6016 | | TGX GX from MY 2020 with individual sun visor |
| U1.62980-6017 | | TG NN/TN/DN |
| U1.62980-6020 | | TGS TM |
| U1.62980-6019 | | TGX GN |
| U1.62980-6024 | | TGX GM with design sun visor, aerodynamically optimised |

*The item number does not contain any assembly parts. These must be ordered separately.

STYLE

Exterior styling package



Roof light bar black with LED main beam headlight (lightbar) double-row

| Item number | Designation | Suitable for |
|----------------|-----------------------|--------------------------|
| U1.62980-6025* | Roof light bar, black | TGX GX from MY 2020 |
| U1.62980-6027* | | TGX GM from MJ 2020 |
| U1.62980-6029* | | TG NN/TN/DN from MY 2020 |
| U1.62980-6031* | | TGX GN from MY 2020 |
| U1.62980-6033* | | TG TM from MY 2020 |

*The item number does not contain any assembly parts. These must be ordered separately.

MAN Genuine high-beam headlights

| Item number | Designation | Suitable for |
|---------------|--|--|
| K3.25101-6000 | LED high-beam headlight (lightbar) single-row | All MAN Genuine roof light bars and other common roof light bars |
| K3.25101-6001 | LED high-beam headlight (lightbar) double-row | |
| U1.25101-6004 | LED high-beam headlight (round), diameter 232 mm | |
| U1.25101-6005 | LED high-beam headlight (square) | |

Electrical interface for the auxiliary headlights

The MAN Genuine electrical interface enables connection of up to four auxiliary LED or halogen main beam headlights up to 70 W. Pressing this button switches the main beam headlights function from the main headlights to the auxiliary main beam headlights.

Properties

- Separate retrofitting set for simpler assembly
- With plug & play connector on MAN roof light bar
- The function requires an additional function parameter.

| Item number | Designation | Suitable for |
|---------------|--|---|
| 81.25449-5025 | Retrofit cable harness auxiliary head lamps* | All left-hand-drive TG models from MY 2020 |
| 81.25449-5024 | Retrofit cable harness auxiliary head lamps* | All right-hand-drive TG models from MY 2020 |
| 81.25503-6283 | Push button auxiliary head lamp roof* | All TG models from MY 2020 |

*The item number does not contain any assembly parts. These must be ordered separately.

STYLE



Exterior styling package

3

Front and side bars

Attractive and useful at the same time: MAN Genuine front and side bars offer additional protection for the lower front and side sections. They also impress with their durability and precise fit.



Properties

Front and side bars made of stainless steel
60 mm diameter

! Note

In order to avoid overheating on the exhaust sensor or discoloration of the side bracket, a heat shield must be used. This is listed in the overview of the necessary assembly parts.

! Note

Further information on the item numbers suitable for your model can be obtained from your MAN service outlet. Fitting by an MAN service outlet is recommended.

| Sachnummer | Bezeichnung | Suitable for |
|----------------|--|---------------------------|
| U1.41650-6005 | Front bar made of polished stainless steel | TGX until MY 2019 |
| U1.41650-6001 | Front bar made of polished stainless steel | TGX from MY 2020 |
| U1.41673-6008* | Side bar made of polished stainless steel | TGX 3600 mm until MY 2019 |
| U1.41673-6010* | Side bar made of polished stainless steel | TGX 3600 from MY 2020 |
| U1.41650-6007* | Front bar black | TGX GX from MY 2020 |
| U1.41673-6011* | Side bar black | TGX GX from MY 2020 |

*The item number does not contain any assembly parts. These must be ordered separately.

STYLE

Design strips for radiator grille



The red design strips accentuate the radiator grille and create an exclusive, striking look.



Properties

3 custom-fit design strips

Installation instructions and template

! Note

The retrofit is suitable both for vehicles with an entirely black radiator grille and for vehicles with chrome package.

| Item number | Designation | Suitable for |
|---------------|--|--|
| U1.41614-6000 | Set of design strips for radiator grille | TGX from MY 2020 with wide cab, only for plastic bumpers |

Mirror cap cover

A very special highlight to enhance the MAN TGX and give it an individual appearance. The mirror cap impresses with its carbon look, exclusive red accents and the MAN Lion. The mirror caps must be ordered separately for the right and left sides.

Ideal as an overall combination: mirror cap cover, key application, bumper application and radiator grille design strip.



| Item number | Designation | Suitable for |
|---------------|-------------------------|-----------------------|
| U1.63732-0000 | Mirror cap cover, left | TGX, TGS from MY 2020 |
| U1.63732-0001 | Mirror cap cover, right | TGX, TGS from MY 2020 |

STYLE



Key application

The key design can be enhanced very easily with the key application. Grabbing the key becomes a visual highlight – with carbon look, red accent lines, MAN logo and MAN Lion.

Ideal as an overall combination: mirror cap cover, key application, bumper application and radiator grille design strip.



| Item number | Designation | Suitable for |
|---------------|--------------------|--------------------------------|
| U1.97870-0005 | Key sticker (1 pc) | Keys for vehicles from MY 2020 |

Bumper application

Trim applications for the bumper in carbon look and with red accent stripes create an elegant appearance. The bumper application must be ordered separately for the right and left sides.

Ideal as an overall combination: mirror cap cover, key application, bumper application and radiator grille design strip.



Note

Application is permitted only on painted surfaces.

| Item number | Designation | Suitable for |
|---------------|---------------------|--------------------------------------|
| U1.41614-0005 | Aerolip trim, left | TGX from MY 2020 with plastic bumper |
| U1.41614-0006 | Aerolip trim, right | TGX from MY 2020 with plastic bumper |

STYLE



Chrome application for bumper centre section

The slightly upwardly angled blade profile of the slats directs the cooling air specifically to the hotter radiator upper areas and ensures an increased cooling output.



| Item number | Designation | Suitable for |
|---------------|-----------------------------|----------------------------|
| 81.41610-6971 | Bumper, middle section, TGX | TGX from Euro 6 to MY 2019 |
| 81.41614-0085 | Air duct, left | |
| 81.41614-0086 | Air duct, right | |
| 81.41614-6011 | Step, TGX | |
| 81.41610-6956 | Bumper, middle section, TGS | TGS from Euro 6 to MY 2019 |
| 81.41614-0087 | Air duct, left | |
| 81.41614-0088 | Air duct, right | |
| 81.41614-6012 | Step, TGS | |

Chrome application on radiator grille

The fins of the radiator grille, which in conjunction with the plastic bumper are normally completely black, are fitted with a high-quality chrome application and become a striking design element.



| Item number | Designation | Suitable for |
|---------------|--|---|
| 81.41614-6084 | Radiator grille assembly, 880 LH, chrome, three-part | TGX from MY 2020 with GX, GM, GN cab |
| 81.41614-6083 | Radiator grille assembly, 640 LH, chrome, one-piece | TGM, TGS from MY 2020 with TM, TN, NN cab |

STYLE

Stainless steel steps



Another element that creates greater individualisation and enhances the appearance of the vehicle with high-gloss polished stainless steel.



Properties

Stainless steel steps from MY 2020 with DGUV test certificate. All scopes are part of MAN basic homologation, EC approval (CoC).

Note

Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|----------------|---|---|
| U1.61511-6011* | Stainless steel step (3 steps) | TGS, TGX from MY 2020 |
| U1.61511-6012* | Stainless steel step for Pendulum step unit (2 steps) | |
| U1.61511-6001 | Set of steps (3 steps), left | TGX up to MY 2019, TGA with XL, XXL cab |
| U1.61511-6000 | Set of steps (3 steps), right | |
| 06.13189-0158 | Stainless steel nut clip M6x24 | Stainless steel steps for TGS, TGX from MY 2020 |

*For the assembly there is the stainless steel nut clip M6x24 necessary, please find it on the table.

STYLE

TGE exterior design elements



Make your TGE unique and create individual accents. Add value to your vehicle with a range of easy-to-fit design elements, whether with elements in timeless black and a sporty carbon look or with design applications. The choice is yours. They can be optimally complemented by the interior design elements.



Mirror cap cover
and indicator edging cover



Fog light frame
cover in carbon look



Protective radiator grille cover in red and bumper cover in stainless steel look



Loading edge cover

STYLE



TGE exterior design elements



Decorative foil, red

! Note

The use of primer 04.10106-9068 is mandatory for mounting the covers and trims. This applies to all products listed with the exception of the decorative foil. Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|--|--------------|
| U1.63732-0002 | Mirror cap cover, left | TGE |
| U1.63732-0003 | Mirror cap cover, right | |
| U1.63732-0004 | Indicator edging cover, red, left | |
| U1.63732-0005 | Indicator edging cover, red, right | |
| U1.41614-6003 | Fog light frame cover in carbon look, in set, right/left | |
| U1.41614-0009 | Protective radiator grille cover, red | |
| U1.41614-6002 | Bumper cover in stainless steel look, three-part | |
| U1.41614-0018 | Loading edge cover | |
| U1.97812-6036 | Decorative foil, set, red | |

STYLE

TGE interior design elements



With these design elements, the vehicle interior can be personalised and given an exclusive look. Can be combined very well with the TGE exterior design elements.



Steering wheel cover, red



Air vent cover, red



Grip plate cover, silver

Properties

Colour:

Air vent cover, steering wheel cover: Red

Grip plate cover: Silver

! Note

The use of primer 04.10106-9068 is mandatory for mounting.
Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|-------------------------------------|--------------|
| U1.46430-0002 | Steering wheel cover, red | TGE |
| U1.61950-6002 | Air vent cover, red, set left/right | |
| U1.62641-0007 | Grip plate cover, silver, left | |
| U1.62641-0008 | Grip plate cover, silver, right | |

STYLE



TGE roof edge spoiler

Give your TGE a sporty appearance with this high-quality styling product. In addition, the black roof edge spoiler made of precisely fitting and very sturdy plastic improves road holding. Available in two versions, suitable for high roof and flat roof.



Properties

Set of three parts

With GTÜ parts certificate

Note

The use of primer 04.10106-9068 is mandatory for mounting. A correction of the vehicle documents is required, but deferred. It must be reported by the vehicle keeper to the responsible approval authority at its next referral to the vehicle documents.

Fitting by a MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|---|--------------------|
| U1.62910-6010 | Roof edge spoiler, H2, black, three-piece | TGE with flat roof |
| U1.62910-6009 | Roof edge spoiler, H3, black, three-piece | TGE with high roof |

STYLE

Wheel trim rings



An attractive and intelligent solution - the wheel trim rings do not just enhance the appearance of your truck, but also protect the wheel nuts and wheel rim against damage.



81.45950-5009 and 81.45950-0011



81.45950-5012

| Item number | Designation | Suitable for |
|---------------|---|---------------------------------|
| 81.45950-5009 | Wheel trim ring made of steel, painted in White aluminium, RAL 9006 | 22.5", 10-hole, steel wheel |
| 81.45950-0011 | | 22.5", 10-hole, aluminium wheel |
| 81.45950-5013 | | 22.5", 8-hole, steel wheel |
| 81.45950-5012 | | 19.5", 8-hole, steel wheel |
| 81.45950-0004 | | 17.5", 6-hole, steel wheel |
| 81.45950-5034 | Wheel trim ring made of steel, painted in Graphite black, RAL 9011 | 17.5", 6-hole, aluminium wheel |



81.45950-5011 and 81.45950-5030

| Item number | Designation | Suitable for |
|---------------|---|--|
| 81.45950-5011 | Wheel trim ring made of steel, painted in White aluminium, RAL 9006 | 22.5", 10-hole, steel wheel, vehicles with all-wheel drive or MAN HydroDrive |
| 81.45950-5030 | | 22.5", 10-hole, aluminium wheel, vehicles with all-wheel drive or MAN HydroDrive |

STYLE




Wheel trims

Wheel trims create accent highlights on your vehicle and at the same time protect the wheel rim and wheel nuts against damage. Variants made of stainless steel with MAN logo are an especially eye-catching visual enhancement for the vehicle.

Stainless steel wheel trims



Stainless steel cover ring, closed, for TPM



Adhesive label with TPM



Stainless steel cover ring, closed, without TPM



Stainless steel axle cap

Note

According to ECER61, the use of these stainless steel cover rings is only permitted with a mudguard flaring. In the event of non-compliance, the overall operating permit may expire.

| Item number | Designation | Suitable for |
|---------------|--|---|
| 81.45950-0014 | Stainless steel cover ring, closed, for TPM (Tyre Pressure Monitoring) | 22.5", 10-hole, aluminium wheel |
| U1.45950-0000 | Holder, cover ring sensor plate (1 ea.) | 81.45950-0014 |
| 81.97870-2044 | Adhesive label, MAN logo, for TPM | 81.45950-0014 |
| 36.45950-0001 | Stainless steel cover ring, closed, without TPM | 22.5", 10-hole, aluminium wheel |
| N1.01102-0793 | Stainless steel cover ring, closed, without TPM | 22.5", 10-hole, steel wheel |
| 36.45950-0003 | Stainless steel axle cap, non-ventilated, height 170 mm | 22.5", 10-hole, aluminium wheel |
| 81.97870-2043 | Adhesive label, MAN logo, without TPM | 36.45950-0001, N1.01102-0793, 36.45950-0003 |

STYLE

Wheel trims



Stainless steel wheel trims



81.45950-5064 and 81.45950-5065



U1.45950-5000

| Item number | Designation | Suitable for |
|---------------|---|---------------------------------|
| 81.45950-5064 | Wheel trim made of steel, painted in White aluminium RAL 9006, with MAN logo in black | 22.5", 10-hole, aluminium wheel |
| 81.45950-5065 | | 22.5", 10-hole, steel wheel |
| U1.45950-5000 | Wheel trim made of steel, painted in Deep black RAL 9005 | 22.5", 10-hole, steel wheel |



STYLE



Plastic wheel nut protection caps

They maintain the appearance of the vehicle and protect the wheel nuts from damage.



Note

Please observe the maximum permissible overall vehicle width according to the legal regulations in your country for the installation of the wheel nut protection caps

| Item number | Designation | Suitable for |
|---------------|---|---|
| 81.45945-0025 | Wheel nut protection cap*, with MAN logo, ww 27 (1 piece) | Wheel nut, wrench width 27 mm |
| 81.45945-0026 | Wheel nut protection cap*, with MAN logo, ww 30 (1 piece) | Wheel nut, wrench width 30 mm |
| 81.45945-0027 | Wheel nut protection cap*, with MAN logo, ww 32 (1 piece) | Wheel nut, wrench width 32 mm |
| U1.45945-0010 | Wheel nut cap, black with red lion, SW 32 (10 pieces) | Sleeve wheel nut, wrench size 32 mm, alloy rims |
| U1.45945-0011 | Wheel nut cap, black with red lion, SW 32 (10 pieces) | Standard wheel nut, wrench size 32 mm, steel wheels |
| U1.46430-0003 | Wheel nut cap, black, SW 19 (1 piece) | TGE |

* White aluminium RAL 9006

STYLE



Stainless steel wheel nut protection caps

Show that there is a lion in you. The stainless steel wheel nut protection caps not only protect the wheel nuts from damage, but also give your vehicle a custom appearance.



Properties

Austenitic steel, high-gloss chromium-plated

Corrosion resistant

! Note

Please observe the maximum permissible overall vehicle width according to the legal regulations in your country for the installation of the wheel nut protection caps.

| Item number | Designation | Suitable for |
|---------------|---|--|
| U1.45945-0005 | Set of wheel nut protection caps, WAF 27, with lion (6 pieces) | Standard wheel nut, width across flats 27 mm, steel wheels |
| U1.45945-0006 | | Sleeved wheel nut, width across flats 27 mm, aluminium rims |
| U1.45945-0007 | Set of wheel nut protection caps, WAF 30, with lion (8 pieces) | Standard wheel nut, width across flats 30 mm, steel wheels |
| U1.45945-0008 | | Sleeved wheel nut, width across flats 30 mm, aluminium rims |
| U1.45945-0009 | Set of wheel nut protection caps, WAF 32, with lion (10 pieces) | Standard & sleeve wheel nut, wrench width 32 mm, steel wheels and alloy rims |
| 81.45945-0015 | Wheel nut protection cap, stainless steel (chrome-plated), WAF 32, height 43 mm, ø pressure plate 54 mm, flat head form (1 piece) | Standard & sleeve wheel nut, wrench width 32 mm, steel wheels and alloy rims |
| 81.45945-0024 | Wheel nut protection caps, stainless steel, WAF 32, height 46 mm, ø pressure disc dia. 50.5 mm, round head form (10 pieces) | Wheel nut, wrench size 32 mm, steel wheels and alloy rims |
| U1.45945-0003 | Wheel nut protection cap stainless steel WAF 27, height 43 mm, ø pressure plate 42 mm, shape head round (12 pieces) | Wheel nut, wrench width 27 mm, steel wheels and alloy rims |
| U1.45945-0004 | Wheel nut protection cap stainless steel WAF 30, height 54 mm, ø pressure plate 49 mm, shape head round (10 pieces) | Wheel nut, wrench width 30 mm, steel wheels and alloy rims |

STYLE



Wheel nut indicator

Every truck driver must make sure before starting a journey that the vehicle tyres are in good condition. The wheel nut indicator makes this task much easier. It is possible to see at a glance whether the wheel nuts are properly secure.



| Item number | Designation | Suitable for |
|---------------|-------------------------------------|------------------------------|
| 81.45945-0016 | Wheel nut indicator, yellow, a/f 32 | Wheel nut, wrench width 32mm |
| 81.45945-0018 | Wheel nut indicator, yellow, a/f 30 | Wheel nut, wrench width 30mm |

Wheel accessories, TGE

Give your vehicle an individual look with our high-quality wheel accessories. In particular, the black rims provide a sporty look. The various variants of wheel trims also protect the wheel bolts and the central wheel hub cap from corrosion and dirt.

Wheel trims, TGE



Wheel trim, satin black



Wheel trim, silver

Note

An optimal complement to the wheel trim black/chrome gloss offer the black wheel nut protection caps in width across flats 19 mm.



Wheel trim, black/chrome gloss



Wheel trim, black/chrome gloss with emblem

STYLE

Wheel accessories, TGE



Wheel rim, TGE



| Item number | Designation | Suitable for |
|---------------|--|--|
| 65.45903-0006 | Wheel trim, silver | 16" steel wheels, not for vehicles with twin tyres |
| 65.45903-0004 | Wheel trim, satin black | |
| 65.45903-0009 | Wheel trim, black/chrome gloss | |
| 65.45903-0008 | Wheel trim, black/chrome gloss with emblem | |
| 65.45302-0019 | Rim, 6,5JX17 H2 ET60, black-glossy | TGE* |

* Approved wheel/tire combinations must be observed. A manufacturer's certificate may be required.

Lockable wheel bolts

Use this mechanical system to prevent wheel theft. One wheel bolt per wheel is replaced with a version with a special head in the same manner for all wheels. This requires an adapter that is specific to the vehicle.



Properties

Set consists of 4 wheel bolts, 4 cover caps and adapter

Note

Rims and wheel bolts are coordinated to one another in terms of design. For every conversion to other rims, the relevant associated wheel bolts with the correct length and dome shape must be used. Secure fit of the wheels and the functioning of the brake system depends on this.

| Item number | Designation | Suitable for |
|---------------|-----------------------|--------------|
| 65.45506-6000 | Wheel bolts, lockable | TGE |

STYLE



Valve extension

Valve extensions make it easier to access the necessary air pressure control without removing the wheel trims. Ideal air pressure is important, as it increases the service life of the tyre and reduces fuel consumption. Accidents and unnecessary downtimes can be avoided.

Properties

with support tube

Rigid, plastic

White rod, black cap

| Item number | Designation |
|-----------------|--|
| 1 81.45905-6039 | Valve extension, effective length 53.5 mm |
| 81.45905-6040 | Valve extension, effective length 77.5 mm |
| 81.45905-6042 | Valve extension, effective length 107.5 mm |
| 81.45905-6043 | Valve extension, effective length 132.5 mm |
| 81.45905-6044 | Valve extension, effective length 152.5 mm |



Properties

Bendable, plastic (PA tube)

| Item number | Designation |
|-----------------|--|
| 2 81.45905-0204 | Valve extension, effective length 135 mm, bent 45°/90° |
| 81.45905-0213 | Valve extension, effective length 160 mm |
| 81.45905-0205 | Valve extension, effective length 183 mm |
| 81.45905-0215 | Valve extension, effective length 300 mm |
| 81.45905-0217 | Valve extension, effective length 310 mm, bent 90° |
| 81.45905-0214 | Valve extension, effective length 315 mm |
| 81.45905-0222 | Valve extension, effective length 380 mm, bent |



Properties

Metal

| Item number | Designation |
|-----------------|--|
| 3 88.45905-0066 | Valve extension, effective length 29 mm, bent 135° |
| 88.45905-0065 | Valve extension, effective length 153 mm |

Properties

Bendable, plastic (PVC tube with fabric piles)

| Item number | Designation |
|-----------------|--|
| 4 81.45905-0200 | Valve extension, effective length 174 mm |

STYLE

Design sun visors



Design sun visor, aerodynamically optimised

The aerodynamically optimised sun visor is made of transparent, dark-grey tinted plastic and is mounted in front of the windscreen.

The aerodynamically optimised design ensures that the air resistance with the sun visor fitted is approximately the same as without the sun visor, thus avoiding negative impacts on fuel consumption.



Properties

High-quality special plastic (PMMA) with high impact strength, hardness, scratch resistance and light and weather resistance

Aerodynamically optimised thus no negative impacts on fuel consumption

! Note

Installation varies depending on the vehicle equipment. Ask your MAN service outlet for detailed information and the parts required for assembly. Fitting by an MAN service outlet is recommended.

| Item number | Designation |
|---------------|---|
| 81.63701-6056 | Design sun visor, aerodynamically optimised, chrome trim strip |
| U1.63701-5003 | Design sun visor, GX, black |
| 81.63701-6061 | Design sun visor GM, aerodynamically optimised, chrome trim strip |
| U1.63701-5004 | Design sun visor GM, black |

| Suitable for |
|----------------|
| TG with GX cab |
| TG with GM cab |

Design sun visor, black

The exclusive design is a visual statement that enhances the vehicle's modern premium appearance.



| Item number | Designation |
|---------------|------------------------------------|
| U1.63701-0005 | Design sun visor NN, TN, DN, black |
| U1.63701-0006 | Design sun visor TM, black |
| U1.63701-5001 | Trim center sun visor, chrome |
| U1.63701-5002 | Trim center sun visor, jet black |

| Suitable for |
|---------------------------------------|
| TGS, TGM, TGL with NN, TN, DN cab |
| TGS, TGM, TGL with TM cab |
| TGS, TGM, TGL with NN, TN, DN, TM cab |

STYLE



LED rear lights

High-quality, attractive design. Efficient LED technology reduces energy consumption and saves approx. 35 litres of diesel per vehicle per year. The MAN Genuine LED rear lights are available for all MAN trucks in the TG series. Separate, special versions with a cable connection are available for vehicles with a liftgate.



! Note

MAN Genuine LED rear lights can only be fitted on vehicles with central on-board computers version E7.4 and later. Conversions on vehicles with bulb rear lights require updated function parameters.

→ Further information

Further details can be found under Repair and Maintenance/Service Information ► [TI 566602](#)

| Item number | Designation | Suitable for |
|---------------|--|--|
| 81.25225-6576 | LED rear light, right, with plug | TGL, TGM, TGS and TGX up to MY 2019 with on-board computer from version E7.4 |
| 81.25225-6580 | LED rear light, right, with plug, with reversing warning system | |
| 81.25225-6579 | LED rear light, left, with plug | |
| 81.25225-6583 | LED rear light, left, with plug, with number plate light | |
| 81.25225-6578 | LED rear light, right, with cable (vehicle with liftgate) | |
| 81.25225-6582 | LED rear light, right, with cable (vehicle with liftgate), with reversing warning system | |
| 81.25225-6585 | LED rear light, left, with cable (vehicle with liftgate), with number plate light | |

STYLE

Side turn indicator light



The white side turn indicator light is an alternative to the standard orange side turn indicator light. The white turn indicator light emits a brighter light, giving the truck a special look and individual lighting characteristics. From trucks of MY 2020 onwards, particularly attractive LED side turn indicator lights with the MAN logo are obtainable.



Side turn indicator light, white



LED side turn indicator light with MAN branding

! Note

When converting from light bulb to LED, an additional data file "Turn signal/turn signal switch (LED)" is required.

| Item number | Designation | Suitable for |
|---------------|---------------------------------------|---|
| 81.25320-6136 | Side turn indicator light, MAN, right | TGL, TGM from MY 2020 with TM or TN cab; TGS, TGX from MY 2020 |
| 81.25320-6135 | Side turn indicator light, MAN, left | |
| 81.25320-6130 | Side turn indicator light, white | TGS, TGX |

LED clearance lamp

The light intensity of LEDs ensures particularly good visibility, providing an impressive, state-of-the-art appearance. LEDs also offer lower power consumption and a significantly longer service life than bulbs.

Properties

Service life: up to 10,000 hours

Operating voltage: 24 V at 0.85 W



81.25260-6149 LED contour light, white

! Note

Mounting frames corresponding to the roof design must also be ordered.

Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|----------------------------|--|
| 81.25260-6149 | Contour light, LED, white | TGL, TGM, TGS, TGX |
| U1.25260-0000 | Contour light, LED, yellow | Various applications, such as exterior styling package with ambient lighting |
| U1.25260-0004 | Contour light, LED, white | |

STYLE



Compressed-air horn

Visibly audible with MAN Genuine compressed-air horns. The compressed-air horn not only adds to the look of your truck but is also an acoustic signal in hazardous situations.



Properties

Frequency 180 or 150 Hz

Operating pressure 600-1,200 kPa

Volume at nominal pressure 600 kPa at 2 m: approx. 115 dB (A)

Note

You can obtain a detailed list of the parts required for assembly from your MAN service outlet. Fitting by an MAN service outlet is recommended. Please also note the applicable road traffic regulations of your country.

| Item number | Designation | Suitable for |
|---------------|--------------------------|----------------------------------|
| 81.25301-6078 | Compressed-air horn 180* | TGL, TGM, TGS, TGX up to MY 2019 |
| 81.25301-6077 | Compressed-air horn 150* | |

*The item number does not contain any assembly parts. These must be ordered separately.

STYLE

Decorative films



Use MAN Genuine decorative films to turn your vehicle into an eye-catcher!

Note

Decorative films may start to show signs of wear and ageing, particularly if exposed to direct sunlight (after one to three years, or even within a year in very hot climate zones). If the decorative film remains on the vehicle for an extended period of time, there may be visual differences between the painted area covered by the decorative film and the area not protected by film.

Lion Face decorative film

Put your MAN and yourself in the spotlight with an individual design. The MAN lion symbol makes a strong impression and enhances the vehicle's appearance.

The opposite cab side can be ordered separately.



1

Note

For cabs with black paintwork (RAL 9017, 9004, 7021, 5004 or 9523), the respective version with the suffix "black" is best suited, due to the dark colour of the decorative film. For all other cab paintwork colours, please use the decorative film with the suffix "colourful".

| Item number | Designation | Suitable for |
|---------------|---|--|
| U1.97812-6025 | Decorative film Lion Face black left | From MY 2020, cab GN, GM, GX in black shades |
| U1.97812-6026 | Decorative film Lion Face black right | From MY 2020, cab GN, GM, GX in black shades |
| U1.97812-6029 | Decorative film Lion Face black left | From MY 2020, cab TN, TM in black shades |
| U1.97812-6030 | Decorative film Lion Face black right | From MY 2020, cab TN, TM in black shades |
| U1.97812-6033 | Decorative film Lion Face black left | From MY 2020, cab CC, NN, DN in black shades |
| U1.97812-6034 | Decorative film Lion Face black right | From MY 2020, cab CC, NN, DN in black shades |
| U1.97812-6023 | Decorative film Lion Face colourful left | From MY 2020, cab GN, GM, GX |
| U1.97812-6024 | Decorative film Lion Face colourful right | From MY 2020, cab GN, GM, GX |
| U1.97812-6027 | Decorative film Lion Face colourful left | From MY 2020, cab TN, TM |
| U1.97812-6028 | Decorative film Lion Face colourful right | From MY 2020, cab TN, TM |
| U1.97812-6031 | Decorative film Lion Face colourful left | From MY 2020, cab CC, NN, DN |
| U1.97812-6032 | Decorative film Lion Face colourful right | From MY 2020, cab CC, NN, DN |

STYLE

Decorative films



2

Decorative film set, Fire Lion, silver

The MAN Genuine decorative film set allows you to design your MAN vehicle uniquely. Perfectly coordinated, it adds a personal touch to your MAN.

The set consists of two silver-white Lion decorative films, which cover a large area around the doors on both sides of the truck. The exterior is dominated by this element.



| Item number | Designation | Suitable for |
|---------------|--|----------------------------|
| U1.97812-6001 | Decorative film set, Fire Lion, silver | TGX from Euro 6 to MY 2019 |

3

Fire Lion decorative film for TGE

The MAN Genuine decorative film “Fire Lion” in silver is also available for our MAN TGE. A real visual enhancement for your van with a design that will draw attention to your vehicle (one set = left + right). This decorative film can only be used for the panel van with short wheelbase (standard).



| Item number | Designation | Suitable for |
|---------------|--|------------------------------|
| U1.97812-6003 | Decorative film set “Fire Lion TGE” left/right | TGE, closed, short wheelbase |

STYLE

Radiator grille with logo



The distinctive MAN Lion is now located against a high-gloss black background on the radiator grille.



| Item number | Designation | Suitable for |
|---------------|-------------------------|------------------------------------|
| 81.61150-6108 | Radiator grille TGL/TGM | TGL and TGM from Euro 6 to MY 2019 |
| 81.61150-6107 | Radiator grille, TGS | TGS from Euro 6 to MY 2019 |
| 81.61150-6106 | Radiator grille, TGX | TGX from Euro 6 to MY 2019 |

The letters M A N

Unmistakably, a proud MAN driver comes along. Not only do the MAN letters make a statement for a premium product on the front panel, they also provide a visual enhancement elsewhere.



Properties

Material: High-gloss chrome-plated plastic

Affixing: double-sided adhesive tape

! Note

A clamp (81.97103-0012) is also required when attaching letters to the front of the vehicle.

| Item number | Designation | Suitable for |
|---------------|---|----------------------|
| 81.97840-2123 | Letter A chrome-plated, approx. 200 mm x 110 mm | All TG from MY 2020 |
| 81.97840-2124 | Letter M chrome-plated, approx. 181 mm x 110 mm | |
| 81.97840-2125 | Letter N chrome-plated, approx. 110 mm x 181 mm | |
| 81.97840-2131 | Letter A chrome-plated, approx. 137 mm x 83 mm | All TG up to MY 2019 |
| 81.97840-2129 | Letter M chrome-plated, approx. 137 mm x 83 mm | |
| 81.97840-2130 | Letter N chrome-plated, approx. 148 mm x 83 mm | |
| 81.97840-2089 | Letter M matt chrome-plated, approx. 142 mm x 86 mm | TGA, TGM, TGL |
| 81.97840-2091 | Letter A matt chrome-plated, approx. 153 mm x 86 mm | |
| 81.97840-2093 | Letter N matt chrome-plated approx. 142 mm x 86 mm | |

STYLE



MAN label and shields

Express your pride in driving a Lion – with the refinements from MAN.



| Item number | Designation | Suitable for |
|---------------|--|------------------|
| 81.97870-0121 | Shield MAN for number plate, 120 mm x 520 mm | All MAN vehicles |



| Item number | Designation | Suitable for |
|---------------|----------------------------------|------------------|
| 81.97802-2763 | Adhesive film MAN 270 mm x 50 mm | All MAN vehicles |



STYLE

Steering wheel with logo



Cover trim and Lion logo with black background for standard steering wheel, multifunction steering wheel and multifunction steering wheel in leather.

| Item number | Designation | Suitable for |
|---------------|-------------|--|
| 81.46432-6014 | Cover trim | TGL, TGM, TGS and TGX from Euro 6 to MY 2019 |

DRIVER ASSISTANCE SYSTEMS





Intelligent support on the road.

The intelligent, retrofittable MAN Genuine driver assistance systems support you in your day-to-day work. Whether we're talking about efficiency, safety or prevention, MAN Genuine driver assistance systems provide more driving comfort and can help avoid or avoid prevent critical situations. This noticeably relieves your workload and there is a significant reduction in the risk of downtimes.



DRIVER ASSISTANCE SYSTEMS



Rear-view/camera system

Due to the design and size of trucks, visibility in their immediate vicinity is often poor. These blind spots are often the cause of serious damage, especially when manoeuvring. The MAN Genuine rear-view/camera system can help to avoid these damages. With this system, drivers can see what's behind them just as well as they can see what's in front of them. It gives them an overview of the entire vehicle situation, including side views. The vehicle display shows high-contrast super-sharp images with the option of showing reversing guiding lines if required.

Regardless of whether truck or TGE, solo truck, with trailer or semitrailer: our complete kits and the flexible modular principle enable a vast range of applications.

Can be supplied with an external monitor or for viewing on the MAN Media Truck radio or the MAN Media Van radio with up to four cameras. The robust design is also suitable for extreme conditions.



Camera ready for use even during snowfall due to shutter housing.



"Eyelid" effect when opening the lens cover.



Open camera free of snow after opening the lens cover.

DRIVER ASSISTANCE SYSTEMS



Rear-view/camera system

Rear-view/camera system

1



Properties

Can be used as rear-view or forward-view camera

Vibration-resistant, protected against dust and water

ADR tested

! Note

Also available in the set:

- Adapter cables (for connection to MMT/MMV)
- Adapter cables with ECU (for up to four cameras on MMT)
- Seven-inch external monitor (for up to four cameras)
- Various lengths of adapter cable
- Connecting cables for trailers and semitrailers
- Camera shutter housing to protect the camera lens from dirt

Connection to the MAN radios MMT_2, MMT_3 and MMV always requires the necessary camera preparation. Further information for any necessary retrofitting of the respective camera preparation can be found in the [▶ MAN Service Portal/Infotainment](#). Fitting by an MAN service outlet is recommended.

➔ Further information

For simplified product selection, MAN offers pre-assembled complete sets for a single camera. Further information on available complete sets per vehicle can be found in your MAN service outlet.

| Item number | Designation | Suitable for |
|-------------|---------------------------------------|---|
| | Rear-view/camera system, modular sets | TGL, TGM, TGS, TGX; TGE until end of MY 2024 |

DRIVER ASSISTANCE SYSTEMS



Rear-view/camera system

2

Rear-view/camera system plus



Properties

Can be used as rear-view or forward-view camera

Vibration-resistant, protected against dust and water

ADR tested

Note

Also available in the set:

- Adapter cables (for connection to MMT/MMV)
- Adapter cables with ECU (for up to four cameras on MMT)
- Seven-inch external monitor (for up to four cameras)
- Various lengths of adapter cable
- Connecting cables for trailers and semitrailers
- Tank/pump unit 24 V for camera cleaning nozzle

Connection to the MAN radios MMT_2, MMT_3 and MMV always requires the necessary camera preparation. Further information for any necessary retrofitting of the respective camera preparation can be found in the [▶ MAN Service Portal/Infotainment](#). Fitting by an MAN service outlet is recommended.

Further information

For simplified product selection, MAN offers pre-assembled complete sets for a single camera. Further information on available complete sets per vehicle can be found in your MAN service outlet.

| Item number | Designation | Suitable for |
|-------------|--|-------------------------|
| | Rear-view/camera system plus, modular sets | TGL, TGM, TGS, TGX; TGE |

DRIVER ASSISTANCE SYSTEMS

Rear-view/camera system

Control unit for trailer detection

The trailer camera is displayed when a trailer is coupled to the tractor vehicle. When operating without a trailer, the camera of the tractor vehicle is displayed. Using the control unit enables automatic switching between the camera images (tractor vehicle and trailer).



Properties

- Simple integration between MMT3 and HSD connecting lines
- Application preferably with the extension for camera preparation 0PHIK
- Operating voltage 12 V

! Note

- Compatible with the MMT3 power supply output and the MAN HSD connecting lines
- Universally usable with all standard analogue camera systems

| Item number | Designation | Suitable for |
|---------------|------------------------------------|---|
| K3.25816-6001 | Control unit for trailer detection | All TG models from MY2020 with camera preparation |

Move of the standard rear-view camera

The standard rear-view camera (Reversing Motion System - 0PHNW) meets the requirements for new registrations in accordance with Regulation VO (EU) 2019/2144, which will apply to new registrations from July 2024. For the move of the standard rear-camera, there are three extension cables in different lengths available.

! Note

If it is necessary to move this reversing camera, it is mandatory to comply with the legal provisions of ECE R 158 and the guide for fitting bodies.



| Item number | Designation | Suitable for |
|---------------|---------------------|----------------------------|
| 81.28104-0323 | Extension cable 2 m | All TG models from MY 2024 |
| 81.28104-0324 | Extension cable 5 m | |
| 81.28104-0325 | Extension cable 9 m | |

DRIVER ASSISTANCE SYSTEMS



Side camera system (SCS)

Eliminate the blind spot! It happens every day: pedestrians and cyclists unconsciously put themselves at risk when they are in the blind spot of trucks at crossings. Time and again, avoidable accidents happen. The best conceivable investment: a side camera system. Thanks to this side camera system, the driver is able to detect when people are in the blind spot. A camera mounted on the truck on the co-driver's side ensures optimum visibility of the area that was previously the blind spot by means of a 150° wide-angle lens. The system is activated either automatically when the turn indicator is set or manually by a switch.

Note

Two variants are available:

- Side camera system with image on separate seven-inch monitor at the level of the A-pillar (co-driver's side). The driver has the kerb mirror, the wide-angle mirror and the camera monitor in the same field of vision.
- Side camera system with image shown on the MMT radio seven-inch display

Prerequisite for showing the image on MMT radio:

- MAN Media Truck Advanced radio 12 V with seven-inch display.
- MAN camera view preparation for rear-view camera and camera 2

Fitting by an MAN service outlet is recommended.



Further information

The MAN Genuine side camera system is not subsidised as a turning assistant (in accordance with the BMVI guidelines). However, as a "camera monitor system", a de minimis subsidy under 1.3 can be applied for as supplementary safety equipment. You can obtain a detailed list of the parts required for assembly from your MAN service outlet.

| Item number | Designation | Suitable for |
|---------------|---|---|
| 81.27604-6003 | Retrofit set with external monitor | For all TGL, TGM, TGS and TGX until MY 2019 |
| 81.27604-6004 | Retrofit set with display on MMT2 | |
| U1.28210-6035 | Retrofit set with display on MMT3 | For all TGL, TGM, TGS and TGX from MY 2020 |
| 81.27604-6007 | Retrofit set with external monitor | |
| U1.28210-6042 | Camera distance adapter for narrow cabs TGL/TGM/TGS | For all TGL/TGM/TGS with narrow cab |

DRIVER ASSISTANCE SYSTEMS



360° BirdView camera system

The MAN Genuine 360° BirdView camera system is a powerful, HD-TVI detection system for the surrounding area. With its high-resolution 360° all-round view, MAN BirdView provides maximum visibility for difficult manoeuvres and ensures greater safety when turning off. Comprising four HD cameras with wide-angle lenses, the system delivers high-resolution imaging of the vehicle's surroundings from a bird's-eye perspective. This makes the surroundings of the vehicle environment entirely and seamlessly visible, including all blind spots.



Speed-dependent visualisation

Zoom up to 15 km/h 15 km/h to 40 km/h Shut-off starting from 40 km/h.

Situational visualisation

Left-hand turn indicator Right-hand turn indicator Reversing

Properties

Images displayed on seven-inch monitor

1,280 x 720 pixel camera resolution

ADR tested

! Note

Vehicle prerequisite:

- Solo vehicle with fixed body (no trailer or semitrailer)
- Maximum vehicle length: 14 m
- Maximum vehicle width: 2.6 m
- Vehicle height (height of cameras): min. 1.5 m, max. 4 m
- Once it has been fitted and set up, the system has to be calibrated for its specific installation:
 - Calibration is carried out with the calibration set also offered by MAN.
 - The calibration software is supplied on the SD card included in the kit.
- For vehicles from MY 2020 onwards, the extended IO module-2 in flash variant 81.25806-7447 must be installed for signal pickups on the vehicle side.

Fitting by an MAN service outlet is recommended.

Video recorder optionally available: 1 channel, 128 GB SD memory card, 54 hours recording time, 24 V

| Item number | Designation | Suitable for |
|---------------|-----------------------------|--|
| U1.28210-6015 | BirdView 360° camera system | TGL, TGM, TGS, TGX; All buses/coaches |
| U1.28210-6019 | Calibration set | |
| U1.28210-6018 | Video recorder | |

DRIVER ASSISTANCE SYSTEMS



Video turn aid (VTA)



Every accident avoided is a win. Thanks to this camera system, the driver is able to detect when people or bicycle riders are in the blind spot. Unlike conventional blind spot solutions, this turning system reliably distinguishes between moving objects such as pedestrians or cyclists and static objects such as lampposts. The driver is thus only warned if there is an actual danger.

The video turn aid (VTA) is a stand-alone system for vehicles that do not yet have turn assist systems. If the vehicle already has a turn assist installed as standard, the side camera system (SCS) can be retrofitted.

Properties

3-In-1 solution – Detection of moving objects, video image of the relevant area, active warning (visual and acoustic)

Quick and easy installation – all components of the camera are in a single housing

Best image quality – compact seven-inch monitor with optimal resolution at the level of the A-pillar (co-driver's side)

Excellent image quality – camera with infrared LEDs ensures high image quality, day and night

For narrow cabs – an optionally available distance adapter extends the field of vision to the area next to the body.

DRIVER ASSISTANCE SYSTEMS



Video turn aid (VTA)



! Note

The system detects moving objects that are moving at an angle of 0° (parallel to the vehicle and in the direction of travel of the vehicle) up to approx. 45° (beside the vehicle). Due to repetitive structures in the detection area (e.g. construction fences) or if the semitrailer moves into the detection zone when cornering, false triggering may occur. No bodies or similar objects may be located in the detection area. Please also observe the notes about setting up the camera.

Minimum vehicle equipment required for this:

For vehicles from MY 2020 onwards, the extended IO module-2 in flash variant 81.25806-7448 must be installed for signal pickups on the vehicle side.

→ Further information

The video turn aid (VTA) is only suitable for left-hand drive vehicles with the camera on the right side of the vehicle.

Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|---|---|
| 81.27604-6005 | VTA retrofit kit | For all TGL, TGM, TGS and TGX until MY 2019 |
| 81.27604-6006 | VTA retrofit kit | For all TGL, TGM, TGS and TGX from MY 2020 |
| U1.28210-6039 | Camera distance adapter or TGX with extra-wide bodies > 2.5 m | For all TGL/TGM/TGS vehicles with narrow cabs or TGX with extra-wide bodies > 2.5 m |
| U1.28210-6041 | Camera distance adapter extension | For all TGL/TGM/TGS with narrow cabs and over-wide bodies > 2.5 m |

DRIVER ASSISTANCE SYSTEMS



Acoustic warning device upgrade kit GB

The externally-mounted speaker in the co-driver's area alerts pedestrians and cyclists in the vicinity to the turning manoeuvre with a 'white noise' acoustic warning signal and spoken warning "Caution vehicle is turning right/left".

The scope of delivery includes an A4 'Blind Spot' sticker for affixing on the vehicle.



Properties

Alerts pedestrians and cyclists nearby to the turning manoeuvre when the turn indicator is actuated

Complies with London Direct Vision Standard (DVS)

Language English (cannot be changed)

Supplied without MAN-specific assembly/cable set or switch for night-time deactivation

The speaker can also optionally give a warning when reversing.

Note

The external speaker must be equipped with an additional switch for night-time deactivation between 11.30 p.m. and 7.00 a.m. Supplied without MAN-specific assembly/cable set or switch for night-time deactivation. Installation takes place using the two lugs, preferably under the cab on the co-driver's side. Please also note the information on the DVS in the Download area of the ► [MAN Service Portal](#)

| Item number | Designation | Suitable for |
|---------------|--|-----------------------------------|
| K3.28102-6000 | Acoustic warning device GB supplementary kit | For all TGL, TGM, TGS, TGX models |



DRIVER ASSISTANCE SYSTEMS

Retrofit RIO Box/MAN Genuine telematics on-board module 3 (for vehicles up to MY 2019)

The third-generation MAN Genuine on-board telematics module (known as the RIO box) is the hardware installed in the vehicle for using digital services (MAN DigitalServices/RIO services). Thanks to the FMS (fleet management interface), the RIO Box is also suitable for older MAN models and vehicles from other truck manufacturers for managing a complete fleet of vehicles via a single logistics platform.



The RIO Box provides access to the RIO platform from which individual services from MAN, RIO and third parties can be booked.

It also handles the transmission (= mobile phone data modem and firewall) of a wide range of data, which is processed into profitable services on the RIO platform.

The RIO Box is ideal for customers who want to manage individual vehicles or a complete fleet (MAN and third-party vehicles) via a single platform with numerous online services.

The customer can book various services via the MAN Marketplace/RIO Marketplace, such as the free MAN Essentials/RIO Essentials service, which provides the customer with basic fleet administration and deployment analysis, or MAN ServiceCare (also a free service), which offers proactive maintenance management by the MAN service outlet and thus reduces the administrative burden for the customer. Available updates for module software/installed services or newly booked services are automatically downloaded and installed.

Properties

| |
|---|
| Single-DIN slot format |
| Computing power designed for data transmission of future telematics and logistics functions |
| Internal memory 1 GB RAM |
| Permanent memory 8 GB flash memory |
| Data transfer rate: As of 08/2017: UMTS (up to 42 Mbit/s) |
| As of 05/2018: LTE (up to 150 Mbit/s) |
| Three separate partitions, each with its own operating system (Linux and Automotive Realtime System), for particularly high system stability and security |
| Supports FMS from version 1.0 and is therefore multi-brand capable. |

➔ Further information

You can find a detailed list of supported vehicles and requirements for retrofitting in the retrofit instructions under MAN Service documentation in the ► [MAN Service Portal](#).

| Item number | Designation | Suitable for |
|-------------|---|---|
| | Retrofit RIO Box/MAN Genuine telematics on-board module 3 | TGL, TGM from Euro 6 models up to MY 2019; TGS from Euro 5 models up to MY 2019; TGX all models up to MY 2019; TGE upon request; Third-party brands with fleet management interface (starting from Version 1.0) |

TRANSPORT





Transport goods safely and conveniently.

Find out everything about securing loads here.



TRANSPORT



Trailer fixture

Expand the transport options of your MAN TGE with the MAN Genuine trailer fixture. Particularly practical: it can be unscrewed quickly and simply. If the EC type-approval numbers and trailer loads have already been entered in the registration documents, no separate approval is required for retrofitting such a trailer fixture.

| Item number | Designation | Suitable for |
|---------------|---|-----------------------|
| 65.42020-0007 | Trailer fixture ball head (panel, combi, single tyres) | TGE, not with: PR-QT4 |
| 65.42020-0010 | Trailer fixture ball head (platform body, single tyres) | |
| 65.42020-0011 | Trailer fixture ball head (platform body, twin tyres) | |
| 65.42020-0006 | Clutch ball | |

Note

In addition, the appropriate MAN Genuine electrical installation kit for trailer couplings is required. For combinations with one of the following seat configurations, the possibility of retrofitting a towbar (AHK) must be checked in advance. Depending on the vehicle configuration, the full drawbar load of the towbar can no longer be maintained, so that the permissible total vehicle weight would be exceeded if the full drawbar load were utilized.

Applies to the following PR codes:

- 6+2+1 (YKJ)
- 7+1+1 (YKG)



Step for trailer fixture

The MAN Genuine step on the right can be used on all panel and combi van vehicles. It is attached to the trailer fixture and facilitates entry to the cargo space.

Note

Only in combination with: Trailer fixture.
Side marker lights are required for installation.

| Item number | Designation | Suitable for |
|---------------|--------------------------|--------------------------|
| 65.42902-0007 | Step for trailer fixture | TGE until end of MY 2024 |

Note

If one of the following PR codes is configured, the ODIS measure code 7014A (65.25890-7014; step on the right of the rear – retrofit) is also required:

| PR Code | Designation |
|---------|--|
| 7X2 | Parking distance control at front and rear |
| 8A8 | Trailer assist system with parking distance control at front and rear |
| 9X0 | Parking distance control at front and rear with active side protection |
| 9X1 | Parking assist system with active side protection and parking distance control front and rear |
| 9X2 | Trailer assist system and parking distance control at front and rear with active side protection |
| 9X3 | Trailer assist system with parking assist, active side protection and parking distance control at front and rear |

TRANSPORT

Trailer coupling



Increase your flexibility when it comes to attaching trailers to the TGE. In combination with the necessary detachable trailer fixture with ball head (Sales code: 630DC), a jaw coupling can be used as a swap coupling at the rear of the vehicle. With this changing system, the jaw coupling can be bolted onto the trailer bracket when the ball head has been removed. This makes it possible to pull various trailers with a TGE.



Properties

Trailer load: 3500 kg

Drawbar load: 120 kg

! Note

Only in combination with the preparation for trailer fixture with ball head as swap coupling (PR-1D2).

| Item number | Designation | Suitable for |
|---------------|--------------|-----------------------|
| 65.42030-0004 | Jaw coupling | TGE, only with PR 1D2 |

TRANSPORT



Electrical installation kit (E-kit) for trailer fixtures

The MAN Genuine electrical installation kit (13-pin) for trailer fixtures ensures the electrical supply, thus enabling the safe operation of a trailer. Additional coding by means of a software package is necessary.

The retrofits listed below for vehicles without preparation are only valid for vehicles up to and including the date of manufacture CW33/2020.



Image shows 65.25432-6002

1

E-kit, 13-pin, vehicles with preparation

Properties

Number of pins: 13

Technical features: Also in combination with parking distance control (PDC)

Supports trailer stabilisation

For vehicles with trailer fixture preparation (1D7) ex works

Marketability: Not for the United States of America

! **Note:** With rear fog light switched off

| Item number | Designation | Suitable for |
|---------------|--|-------------------|
| 65.25432-6001 | E-kit, 13-pin, vehicles with preparation Due to the preparation, the standard control unit is used. This means that the E-kit is integrated into the CAN bus of the vehicle and supports, among other things, trailer stabilisation. The MAN Genuine electric installation kit is suitable for both right-hand-drive and left-hand-drive vehicles. The restrictions listed in the CoC/registration document must be taken into consideration. Cannot be used on the eTGE. | TGE, not for eTGE |

! **Caution** Observe the restrictions and conditions of Volkswagen AG (e.g. car sales program).

TRANSPORT

Electrical installation kit (E-kit) for trailer fixtures



2

E-kit, 13-pin, vehicles without preparation, short wheelbase

Properties

Number of pins: 13

Technical features: Also in combination with parking distance control (PDC)

Supports trailer stabilisation

For vehicles with 12-way fuse carrier under left seat box, short wheelbase

Marketability: Not for the United States of America

! **Note:** With rear fog light switched off

| Item number | Designation | Suitable for |
|---------------|--|--|
| 65.25432-6002 | E-kit, 13-pin, vehicles without preparation, short wheelbase The use of the Genuine control unit ensures full integration into the CAN. This means that safety-related driver assistance systems, such as trailer stabilisation, are supported, thus ensuring the safe towing of trailers. Suitable for both right-hand-drive and left-hand-drive vehicles without preparation with short wheelbase. The restrictions listed in the CoC/registration document must be taken into consideration. | TGE, until KW33/2020, not for eTGE |
| 65.25432-6007 | E-kit, 13-pin, vehicles without preparation, short wheelbase The use of the Genuine control unit ensures full integration into the CAN. This means that safety-related driver assistance systems, such as trailer stabilisation, are supported, thus ensuring the safe towing of trailers. Suitable for both right-hand-drive and left-hand-drive vehicles without preparation with short wheelbase. The restrictions listed in the CoC/registration document must be taken into consideration. | TGE, from KW34/2020 until end of MY 2024, not for eTGE |

! **Caution** Observe the restrictions and conditions of Volkswagen AG (e.g. car sales program).

TRANSPORT



Electrical installation kit (E-kit) for trailer fixtures

3

E-kit, 13-pin, vehicles without preparation, long wheelbase

Properties

Number of pins: 13

Technical features: Also in combination with parking distance control (PDC)

Supports trailer stabilisation

For vehicles with 12-way fuse carrier under left seat box, long wheelbase

Marketability: Not for the United States of America

Note: With rear fog light switched off

| Item number | Designation | Suitable for |
|---------------|--|--|
| 65.25432-6003 | E-kit, 13-pin, vehicles without preparation, long wheelbase The fitted Group control unit is integrated into the CAN bus of the vehicle and supports, among other things, trailer stabilisation. The MAN Genuine electrical installation kit is suitable for both right-hand-drive and left-hand-drive vehicles without preparation ex works with long wheelbase. The restrictions listed in the CoC/registration document must be taken into consideration. | TGE, until KW33/2020, not for eTGE |
| 65.25432-6008 | E-kit, 13-pin, vehicles without preparation, long wheelbase The fitted Group control unit is integrated into the CAN bus of the vehicle and supports, among other things, trailer stabilisation. The MAN Genuine electrical installation kit is suitable for both right-hand-drive and left-hand-drive vehicles without preparation ex works with long wheelbase. The restrictions listed in the CoC/registration document must be taken into consideration. | TGE, from KW34/2020 until end of MY 2024, not for eTGE |

Caution

Observe the restrictions and conditions of Volkswagen AG (e.g. car sales program).



TRANSPORT

Electrical installation kit (E-kit) for trailer fixtures



4

Expansion kit for the electrical installation kit

Properties

Vehicle: left-hand-drive vehicle, right-hand-drive vehicle

Only for vehicles without 12-way fuse carrier under left seat box

Scope of delivery: Assembly material and assembly instructions

| Item number | Designation | Suitable for |
|---------------|---|-------------------|
| 65.25434-6000 | Expansion kit for the electrical installation kit for vehicles without trailer preparation and without fuse box under driver's seat ex works Cable connection incl. 12-pin fuse box, 60 A fuse incl. fuse carrier, fastening parts and installation instructions. Suitable for both left-hand-drive and right-hand-drive vehicles. The restrictions listed in the CoC/registration document must be taken into consideration. | TGE, not for eTGE |

! Note

Please also take the following table into consideration. The required combinations of electrical installation kit and measure code are shown here again corresponding to the vehicle configuration:

| PR code | Required E-kit | | Required measure code | |
|--|----------------|--|-----------------------|---|
| | Item number | Designation | Item number | Designation |
| With preparation (1D7) | 65.25432-6001 | E-kit, 13-pin, vehicles with preparation | 65.25890-7001 | Trailer coupling (rigid) start-up of works preparation Measure code: 7001B |
| Without preparation, short wheelbase (1D0) | 65.25432-6002 | E-kit, 13-pin, vehicles without preparation, short wheelbase | 65.25890-7003 | Trailer coupling (rigid) retrofitting ODIS measure code: 70033 |
| Without preparation, long wheelbase (1D0) | 65.25432-6003 | E-kit, 13-pin, vehicles without preparation, long wheelbase | 65.25890-7003 | Trailer coupling (rigid) retrofitting ODIS measure code: 70033 |

TRANSPORT



Load security

Products for load securing offer solutions for almost all transport tasks. Vehicle occupants, cargo and other road users are thus optimally protected.

1

Lashing straps truck

When securing your load, rely on the robust lashing straps, which are suitable for a variety of purposes. Select the ratchet, length, width and hook shape that suits you from the variants. Edge protection corners and matching anti-slip mats complete the offer.

The special highlight: all lashing straps are provided with a MAN branding.

Properties

Lashing straps for securing and lashing of freight according EN 12195-2


| | |
|---|---|
| Models: 1-part or 2-parts | Maximum strap elongation <5 % |
| Width: 25 mm or 50 mm | Tested according EN 12195-2 |
| Available lengths: 8 m or 10 m | Corrosion protection (ratchet) according GB/T-6461-2002 |
| Hook form: Triangle wire hook or triangle wire hook with keeper | International labelling (protected inside) |
| Manufactured from high quality polyester (PES) | TÜV/GS tested |
| Lashing force >5 Tons | Temperature application range min./max.: -40 to +120 °C |

Corner guards

Dimensions: 105 x 105 x 135 mm

Non-slip mats

Dimensions: 1.2 m x 10 cm x 8 mm



TRANSPORT

Load security



| Item number | Designation | Suitable for |
|---------------|---|------------------|
| K3.96802-6000 | Lashing strap 5 T, 2-parts, 8 m X 50 mm, LC: 2500daN / STF: 350daN | All MAN vehicles |
| K3.96802-6001 | Lashing strap 5 T, 2-parts 10 m X 50 mm, LC: 2500daN / STF: 350daN | |
| K3.96802-6002 | Lashing strap 5 T, 2-parts long arm, 8 m X 50 mm, LC: 2500daN / STF: 500daN | |
| K3.96802-6003 | Lashing strap 5 T, 2-parts long arm, 10 m X 50 mm, LC: 2500daN / STF: 500daN | |
| K3.96802-6004 | Lashing strap 5 T, 2-parts, with keeper, 8 m X 50 mm, LC: 2500daN / STF: 350daN | |
| K3.96802-6005 | Lashing strap 6 T, 1-part, 8 m X 50 mm, LC: 3000daN / STF: 350daN | |
| K3.96802-6006 | Lashing strap 3 T, 1-part, 8 m X 25 mm, LC: 1500daN / STF: 210daN | |
| K3.96101-6000 | Corner guards for 50 mm lashing straps , approx. 105 x 105 x 135 mm (Set 2-off) | |
| K3.97812-6000 | Non-slip mats 1.2 m X 10 cm X 8 mm (Set 2-off) | |

Tension belts TGE

Tension belts enable the load to be fastened safely and securely.



2

| Item number | Designation | Suitable for |
|---------------|----------------------------------|--------------|
| 65.96802-0002 | Tension belt with ratchet buckle | TGE |

TRANSPORT



Load security

3

Box for securing the load

Protection for vehicle occupants, load and other road users! The specially tailored hard-shell box in silver-grey contains ratchets, fixing straps, edge protector tubes and non-slip mats. It comes with a brochure of practical examples for the corresponding models. The load distribution plan makes it easy to determine the load's centre of gravity before each journey, enabling the load to be secured in accordance with legal requirements. This means that the load is reliably secured even during full braking and avoidance manoeuvres.



| Item number | Designation | Suitable for |
|---------------|------------------------------------|--------------|
| 65.96800-6000 | Box for securing the load | TGE |
| 65.66970-0001 | Wall bracket for load-securing box | |

4

System load securing net

The load is also securely stored with system load securing nets and securing bars. For vehicles with airline rails, there are also lashing strap fittings and universal hooks for securing.



| Item number | Designation | Suitable for |
|---------------|--|--------------|
| 65.66961-0000 | Prosafe system load securing net 1,400 x 1,025 mm | TGE |
| 65.66961-0001 | Prosafe system load securing net 1,775 x 1,150 mm | |
| 65.66961-0002 | Prosafe system load securing net 2,275 x 1,650 mm | |

TRANSPORT

Roof support



Note

The basis for safe transport is the basic carrier, which can be fitted with additional attachments.

| Item number | Designation | Suitable for |
|---------------|--|--------------|
| 65.66980-6000 | Basic carrier, set of 3 units Tested in accordance with strict specifications, the basic carrier is the ideal basis for roof structures such as ladder holders and high brackets. This means that you can transport even long objects safely on the roof. The basic carrier is perfectly matched to the vehicle, lockable and thus securely protected against theft. Delivery includes torque wrench. Scope of delivery: 3 units | TGE |
| 65.66980-0000 | Basic carrier, extension kit The extension kit for the basic carrier allows an additional transport level to be created on the roofs of long vehicles. Tested in accordance with strict specifications, the basic carrier is the ideal basis for roof structures such as ladder holders and high brackets. This means that even long objects can be safely transported on the roof. The basic carrier is perfectly matched to the vehicle, lockable and thus securely protected against theft. Delivery includes torque wrench. Scope of delivery: 1 unit | |

Runner as a roof loading aid

For transport of ladders or other long items (timber, pipes etc.), an optional painted ladder rack can be installed on the platform loading surface, which also offers front wall protection.



| Item number | Designation | Suitable for |
|---------------|--|--------------|
| 65.66961-0000 | Prosafe system load securing net 1,400 x 1,025 mm | TGE |

TRANSPORT



Ladder holder

No slipping, no wobbling: the ladder holder with angle brackets is the perfect retaining device for transporting ladders. For transporting two simple ladders or one folding, trestle or sliding ladder. Only in combination with the square carrier or the luggage rack.



| Item number | Designation | Suitable for |
|---------------|---------------|--------------|
| 65.66905-0000 | Ladder holder | TGE |

Set of angle brackets

The set of angle brackets is ideally suited for safely and securely transporting long objects. The high brackets can be used to securely clamp wooden boards to the roof bars or the luggage rack, for example.



| Item number | Designation | Suitable for |
|---------------|-----------------------|--------------|
| 65.66970-6000 | Set of angle brackets | TGE |

Painted ladder carrier at front and rear attachment

For transport of ladders or other long items (timber, pipes etc.), an optional painted ladder rack can be installed on the platform loading surface, which also offers front wall protection. This can also be expanded with the painted rear attachment.



| Item number | Designation | Suitable for |
|---------------|--|--------------|
| 65.65615-6000 | Assembly, front wall attachment for ladder transport | TGE |
| 65.65615-6001 | Assembly, platform gate support | |
| 65.97801-2111 | Sticker for ladder frame 150 kg | |
| 65.65615-6002 | Rear attachment assembly for ladder rack | |

TRANSPORT

Storage bag



The storage bags made of durable polyester are easily accessible on the rear wing doors of panel vans/combi vans. The storage bags can be used to store small materials such as light tools, safety vest(s), lashing straps, gloves etc. so they are ready to hand and neatly stored.

The removable storage bags with a carrying handle are ideally equipped for everyday use. They are fastened to the left and right rear leaf doors with turn locks below the rear window cutouts.

Properties

Dimensions (width x height x depth) in mm: 450 x 350 x 140

Maximum load capacity: 4 kg

Colour: Black with light grey applications



| Item number | Designation | Suitable for |
|---------------|--------------------------------------|---|
| 65.66908-0000 | Set of storage bags (left and right) | TGE, only for panel vans and combi vans |



TRANSPORT



Stowage box on platform loading surface

The storage box mounted on the platform loading surface offers additional storage space for bulky or loose objects such as tools and snow chains. The items are not only neatly stored, but also protected from wind and weather. They can also be secured against theft with the help of a lock. Another advantage is that the storage box, which is firmly attached to the loading surface and installed directly next to the rear cab wall, takes up little space. This means that the remaining space can be used optimally for loads.



Properties

Dimensions in mm (L x W x H): 666 x 1,700 x 656

Weight of storage box: 40 kg

Material: Frame (struts) in steel, walls in aluminium

Payload up to 200 kg

Lockable with separate lock and key

! Note

Additional parts such as screws and brackets are required for installation. Please observe the installation instructions.

➔ Further information

You can find the assembly instructions on the ► [MAN Service Portal](#). Fitting by an MAN service outlet is recommended.

| Item number | Designation | Suitable for |
|---------------|-------------|-----------------------------|
| 65.63910-0004 | Storage box | TGE, only for platform body |





MAN Truck & Bus SE

Dachauer Strasse 667

80995 Munich

www.man.eu

E-mail: accessories@man.eu